


### Sechskantschrauben mit Schaft A2

Hexagon head bolts

Vis à tête hexagonale partiellement filetée



**DIN 931** DIN-EN-ISO 4014

d	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24	M 27	M 30	M 36
b=l<125 mm	16	18	22	26	30	34	38	42	46	50	54	60	66	78
b=l 125-200 mm	-	24	28	32	36	40	44	48	52	56	60	66	72	84
b=l>200 mm	-	-	-	45	49	53	57	61	65	69	73	79	85	97
k	3,5	4	5,3	6,4	7,5	8,8	10	11,5	12,5	14	15	17	18,7	22,5
s	8	10	13	17	19	22	24	27	30	32	36	41	46	55

### WGR 3364 000


d	l	Inhalt	€
mm	mm	Stck	100 Stck
M 5	25	200	10,00

d	l	Inhalt	€
mm	mm	Stck	100 Stck
M 5	30	200	15,83

### Sechskantschrauben mit Schaft A2

Hexagon head bolts

Vis à tête hexagonale partiellement filetée




**DIN 931** DIN-EN-ISO 4014

### WGR 3364 000

## Sechskantschrauben mit Schaft A2

Hexagon head bolts

Vis à tête hexagonale partiellement filetée



**DIN 931** DIN-EN-ISO 4014

### WGR 3364 000


d mm	l mm	Inhalt Stck	€ 100 Stck
M 5	35	200	16,94
M 5	40	200	20,89
M 5	50	200	25,56
M 5	60	200	29,72
M 6	30	200	15,17
M 6	35	200	17,72
M 6	40	200	19,17
M 6	45	100	21,00
M 6	50	100	24,67
M 6	55	100	25,89
M 6	60	100	27,39
M 6	65	100	32,44
M 6	70	100	33,44
M 6	80	100	42,06
M 6	90	100	43,28
M 6	100	100	46,17
M 6	110	100	63,89
M 6	120	100	77,22
M 6	130	100	79,94
M 6	140	100	116,67
M 6	150	100	138,89
M 8	35	200	29,00
M 8	40	200	34,61
M 8	45	200	36,67
M 8	50	200	41,56
M 8	55	200	44,83
M 8	60	200	46,28
M 8	65	100	50,72
M 8	70	100	58,72
M 8	75	100	61,89
M 8	80	100	65,44
M 8	90	100	67,50
M 8	100	100	69,44
M 8	110	100	96,61
M 8	120	100	99,78

d mm	l mm	Inhalt Stck	€ 100 Stck
M 8	130	100	124,22
M 8	140	100	126,67
M 8	150	100	143,33
M 8	160	100	179,50
M 8	180	100	244,28
M 8	200	100	481,44
M 10	35	200	53,72
M 10	40	200	59,56
M 10	45	100	66,11
M 10	50	100	72,22
M 10	55	100	78,89
M 10	60	100	83,50
M 10	65	100	91,67
M 10	70	100	94,44
M 10	75	100	97,78
M 10	80	100	108,33
M 10	90	50	113,33
M 10	100	50	116,67
M 10	110	50	134,56
M 10	120	50	154,44
M 10	130	50	170,72
M 10	140	50	188,11
M 10	150	50	198,50
M 10	160	50	205,56
M 10	180	50	282,44
M 10	200	50	309,89
M 12	40	100	74,33
M 12	45	100	89,00
M 12	50	100	93,78
M 12	55	100	96,83
M 12	60	100	103,50
M 12	65	50	110,22
M 12	70	50	114,61
M 12	75	50	128,61
M 12	80	50	147,50

## Sechskantschrauben mit Schaft A2

Hexagon head bolts

Vis à tête hexagonale partiellement filetée



**DIN 931** DIN-EN-ISO 4014


### WGR 3364 000

d mm	l mm	Inhalt Stck	€ 100 Stck	d mm	l mm	Inhalt Stck	€ 100 Stck
M 12	90	50	151,72	M 16	90	25	264,06
M 12	100	50	184,83	M 16	100	25	277,50
M 12	110	50	200,39	M 16	110	25	292,89
M 12	120	50	215,89	M 16	120	25	326,56
M 12	130	50	236,67	M 16	130	25	345,50
M 12	140	50	263,11	M 16	140	25	380,61
M 12	150	50	286,22	M 16	150	25	430,33
M 12	160	50	333,33	M 16	160	25	498,44
M 12	170	50	355,56	M 16	170	25	541,78
M 12	180	50	377,78	M 16	180	25	573,56
M 12	200	50	396,56	M 16	200	25	700,28
M 14	45	50	122,22	M 16	220	25	795,78
M 14	50	50	150,00	M 16	240	25	869,45
M 14	55	50	163,89	M 18	65	25	335,89
M 14	60	50	180,00	M 18	70	25	353,33
M 14	65	50	193,28	M 18	75	25	380,56
M 14	70	50	200,56	M 18	80	25	410,00
M 14	80	50	213,39	M 18	90	25	440,56
M 14	90	50	242,33	M 18	100	25	476,39
M 14	100	50	261,67	M 18	110	25	514,67
M 14	110	50	281,22	M 18	120	25	592,78
M 14	120	50	313,72	M 18	130	25	818,33
M 14	130	50	344,00	M 18	140	25	1027,78
M 14	140	50	400,00	M 18	150	25	1169,45
M 14	150	50	424,94	M 20	65	25	334,72
M 14	160	25	532,78	M 20	70	25	350,28
M 14	170	25	565,78	M 20	75	25	379,00
M 14	180	25	588,89	M 20	80	25	399,56
M 14	200	25	661,11	M 20	90	25	435,28
M 16	50	50	173,78	M 20	100	25	444,72
M 16	55	50	174,83	M 20	110	25	470,89
M 16	60	50	184,94	M 20	120	25	660,00
M 16	65	50	194,67	M 20	130	25	688,89
M 16	70	50	210,39	M 20	140	25	736,11
M 16	80	25	239,39	M 20	150	25	854,72

## Sechskantschrauben mit Schaft A2

Hexagon head bolts

Vis à tête hexagonale partiellement filetée



**DIN 931** DIN-EN-ISO 4014


### WGR 3364 000

d mm	l mm	Inhalt Stck	€ 100 Stck
M 20	160	25	944,45
M 20	170	25	1065,17
M 20	180	25	1100,72
M 20	200	25	1136,22
M 20	220	25	1211,11
M 20	240	25	1333,33
M 20	260	25	1444,45
M 20	280	25	1560,72
M 20	300	25	1693,33
M 22	80	25	693,56
M 22	90	25	725,67
M 22	100	25	757,78
M 22	110	25	780,56
M 22	120	25	838,89
M 22	130	25	905,56
M 22	140	25	982,89
M 22	150	25	1154,11
M 24	80	25	626,39
M 24	90	25	699,89
M 24	100	25	733,33
M 24	110	25	939,06
M 24	120	25	1055,06
M 24	130	25	1099,11
M 24	140	25	1244,45
M 24	150	25	1579,45
M 24	160	25	1611,11
M 24	170	25	1672,22
M 24	180	25	1694,45
M 24	200	25	1722,22
M 24	220	25	1855,56
M 24	240	25	1917,22
M 24	260	25	2011,67

d mm	l mm	Inhalt Stck	€ 100 Stck
M 24	280	25	2120,00
M 24	300	25	3394,89
M 27	80	25	1258,45
M 27	90	25	1462,56
M 27	100	25	1666,67
M 27	110	25	1766,67
M 27	120	25	1816,67
M 27	130	25	1866,67
M 27	140	25	1950,00
M 27	150	25	2011,11
M 27	160	25	2044,45
M 27	170	25	2066,72
M 27	180	25	2169,45
M 27	200	25	2272,39
M 30	80	10	1750,00
M 30	90	10	1855,56
M 30	100	10	1961,72
M 30	110	10	2090,00
M 30	120	10	2222,00
M 30	130	10	2388,89
M 30	140	10	2533,34
M 30	150	10	2660,95
M 30	160	10	2777,78
M 30	180	10	3055,56
M 30	200	10	3194,45
M 36	130	20	2405,39
M 36	140	20	3822,34
M 36	150	15	4030,34
M 36	160	15	4666,67
M 36	180	10	5681,00
M 36	200	15	6891,06

## Sechskantschrauben mit Schaft A4

Hexagon head bolts  
Vis à tête hexagonale



**DIN 931** DIN-EN-ISO 4014


d	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24
b=<125 mm	16	18	22	26	30	34	38	42	46	50	54
b=  125-200 mm	-	24	28	32	36	40	44	48	52	56	60
b=>200 mm	-	-	-	45	49	53	57	61	65	69	73
k	3,5	4	5,3	6,4	7,5	8,8	10	11,5	12,5	14	15
s	8	10	13	17	19	22	24	27	30	32	36

## WGR 3604 000

d mm	l mm	Inhalt Stck	€ 100 Stck	d mm	l mm	Inhalt Stck	€ 100 Stck
M 5	30	200	16,28	M 8	55	200	80,00
M 5	35	200	17,50	M 8	60	200	85,39
M 5	40	200	18,72	M 8	65	100	91,67
M 5	45	200	23,56	M 8	70	100	96,11
M 5	50	200	25,00	M 8	75	100	102,22
M 5	55	200	26,39	M 8	80	100	106,11
M 5	60	200	31,67	M 8	90	100	116,67
M 6	30	200	17,06	M 8	100	100	127,78
M 6	35	200	21,78	M 8	110	100	138,33
M 6	40	200	23,17	M 8	120	100	163,89
M 6	45	100	33,33	M 8	130	100	198,94
M 6	50	100	43,22	M 8	140	100	213,33
M 6	55	100	50,44	M 8	150	100	225,56
M 6	60	100	50,56	M 8	160	100	237,78
M 6	65	100	63,44	M 8	180	100	361,11
M 6	70	100	79,44	M 10	35	200	90,56
M 6	80	100	98,56	M 10	40	200	94,44
M 6	90	100	115,56	M 10	45	100	100,39
M 6	100	100	128,33	M 10	50	100	113,89
M 6	110	100	150,17	M 10	55	100	134,83
M 6	120	100	161,72	M 10	60	100	137,78
M 6	130	100	173,28	M 10	65	100	146,39
M 6	140	100	207,89	M 10	70	100	157,22
M 6	150	100	223,28	M 10	75	100	166,83
M 8	35	200	45,44	M 10	80	100	179,67
M 8	40	200	55,56	M 10	90	50	198,94
M 8	45	200	69,44	M 10	100	50	218,17
M 8	50	200	75,00	M 10	110	50	239,39

## Sechskantschrauben mit Schaft A4

Hexagon head bolts  
Vis à tête hexagonale



**DIN 931** DIN-EN-ISO 4014


### WGR 3604 000

d mm	l mm	Inhalt Stck	€ 100 Stck
M 10	120	50	272,72
M 10	130	50	308,00
M 10	140	50	352,94
M 10	150	50	397,83
M 10	160	50	449,17
M 10	180	50	564,67
M 12	40	100	101,11
M 12	45	100	116,17
M 12	50	100	150,00
M 12	55	100	163,89
M 12	60	100	183,33
M 12	65	50	184,22
M 12	70	50	211,11
M 12	80	50	218,33
M 12	90	50	238,89
M 12	100	50	276,67
M 12	110	50	327,28
M 12	120	50	352,78
M 12	130	50	361,11
M 12	140	50	365,11
M 12	150	50	426,06
M 12	160	50	511,11
M 12	180	50	622,22
M 12	200	25	750,00
M 14	50	50	320,83
M 14	55	50	343,33
M 14	60	50	359,33
M 14	65	50	385,00
M 14	70	50	423,89
M 14	80	50	462,00
M 14	90	50	529,39
M 14	100	50	583,33
M 14	110	50	609,61
M 14	120	50	673,78
M 14	130	50	770,00

d mm	l mm	Inhalt Stck	€ 100 Stck
M 14	140	50	834,17
M 14	150	50	898,33
M 14	160	25	1155,00
M 14	180	25	1925,00
M 14	200	25	2566,67
M 16	50	50	239,44
M 16	55	50	268,33
M 16	60	50	291,83
M 16	65	50	310,39
M 16	70	50	329,83
M 16	75	25	361,11
M 16	80	25	471,67
M 16	90	25	472,22
M 16	100	25	577,50
M 16	110	25	641,67
M 16	120	25	705,83
M 16	130	25	770,00
M 16	140	25	866,28
M 16	150	25	918,33
M 16	160	25	986,11
M 16	180	25	1050,00
M 16	200	25	1108,33
M 16	220	25	1472,22
M 16	240	25	1833,33
M 18	65	25	609,61
M 18	70	25	641,67
M 18	80	25	737,95
M 18	90	25	802,11
M 18	100	25	834,17
M 18	110	25	930,45
M 18	120	25	1075,00
M 18	130	25	1219,17
M 18	140	25	1315,45
M 18	150	25	1475,83
M 20	60	25	566,67

## Sechskantschrauben mit Schaft A4

Hexagon head bolts  
Vis à tête hexagonale



**DIN 931** DIN-EN-ISO 4014

### WGR 3604 000

d mm	l mm	Inhalt Stck	€ 100 Stck
M 20	65	25	627,78
M 20	70	25	694,45
M 20	75	25	782,83
M 20	80	25	814,95
M 20	90	25	888,89
M 20	100	25	944,45
M 20	110	25	1083,33
M 20	120	25	1155,00
M 20	130	25	1251,28
M 20	140	25	1379,61
M 20	150	25	1540,00
M 20	160	25	1764,61
M 20	170	25	2085,45
M 20	180	25	2310,00
M 20	200	25	2566,67
M 20	220	25	2833,34
M 20	240	25	3080,00
M 22	80	25	1411,67
M 22	90	25	1507,95

d mm	l mm	Inhalt Stck	€ 100 Stck
M 22	100	25	1572,11
M 22	110	25	1732,50
M 22	120	25	1828,78
M 22	130	25	2085,45
M 22	140	25	2310,00
M 22	150	25	2470,45
M 22	160	25	2759,17
M 24	80	20	1027,78
M 24	90	20	1222,22
M 24	100	20	1388,89
M 24	110	20	1668,33
M 24	120	20	1828,78
M 24	130	15	1925,00
M 24	150	15	2194,45
M 24	160	15	2305,56
M 24	180	15	2400,00
M 24	200	15	2472,22
M 24	220	15	2611,11
M 24	240	15	2777,78