


Sechskantschrauben mit Gewinde bis Kopf A2

Hexagon set screws A2 stainless steel
Vis à tête hexagonale entièrement fileté



DIN 933 DIN-EN-ISO 4017

d	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24	M 27	M 30	M 36
k	2,8	3,5	4	5,3	6,4	7,5	8,8	10	11,5	12,5	14	15	17	18,7	22,5
a	2,1	2,4	3	3,75	4,5	5,25	6	6	7,5	7,5	7,5	9	9	10,5	12
s	7	8	10	13	17	19	22	24	27	30	32	36	41	46	55

WGR 3365 000


d	l	Inhalt	VE	€
mm	mm	Stck		100 Stck
M 4	6	2000	01	7,22
M 4	8	1000	01	4,78
M 4	10	1000	01	5,28
M 4	12	1000	01	5,72
M 4	14	1000	01	7,78
M 4	16	1000	01	5,89
M 4	16	100	02	7,22
M 4	18	1000	01	8,50
M 4	20	500	01	6,67
M 4	20	100	02	7,61
M 4	22	500	01	9,44
M 4	25	500	01	7,56
M 4	30	500	01	7,94
M 4	35	200	01	10,83
M 4	40	200	01	13,22
M 4	50	200	01	17,22
M 5	8	1000	01	6,22
M 5	10	500	01	5,83
M 5	10	100	02	7,50
M 5	12	500	01	6,17
M 5	12	100	02	7,89
M 5	14	500	01	8,06
M 5	16	500	01	7,06
M 5	16	100	02	10,28
M 5	18	500	01	7,78
M 5	20	500	01	7,11
M 5	20	100	02	11,94
M 5	22	500	01	9,22
M 5	25	200	01	13,22
M 5	25	100	02	16,72

d	l	Inhalt	VE	€
mm	mm	Stck		100 Stck
M 5	30	200	01	14,44
M 5	30	100	02	18,06
M 5	35	200	01	14,72
M 5	40	200	01	15,83
M 5	45	200	01	18,00
M 5	50	200	01	18,94
M 5	55	200	01	25,56
M 5	60	200	01	26,67
M 6	10	500	01	8,39
M 6	10	100	02	9,22
M 6	12	500	01	9,22
M 6	12	100	02	10,11
M 6	14	200	01	10,22
M 6	16	200	01	9,44
M 6	16	100	02	10,44
M 6	18	200	01	11,94
M 6	20	200	01	9,67
M 6	20	100	02	10,78
M 6	22	200	01	10,78
M 6	25	200	01	10,89
M 6	25	100	02	12,11
M 6	30	200	01	12,61
M 6	30	100	02	13,33
M 6	35	200	01	15,06
M 6	40	200	01	15,44
M 6	40	100	02	16,28
M 6	45	100	01	18,28
M 6	50	100	01	20,89
M 6	50	100	02	21,72
M 6	55	100	01	23,33

Sechskantschrauben mit Gewinde bis Kopf A2

Hexagon set screws A2 stainless steel

Vis à tête hexagonale entièrement filetée



DIN 933 DIN-EN-ISO 4017


WGR 3365 000

d mm	l mm	Inhalt Stck	VE	€ 100 Stck
M 6	60	100	01	25,00
M 6	65	200	01	28,89
M 6	70	200	01	29,67
M 6	75	200	01	31,50
M 6	80	200	01	40,22
M 6	90	100	01	46,11
M 6	100	100	01	49,28
M 8	10	500	01	24,11
M 8	12	500	01	18,89
M 8	12	100	02	19,72
M 8	14	500	01	19,83
M 8	16	200	01	20,00
M 8	16	100	02	21,11
M 8	18	500	01	20,56
M 8	20	200	01	20,83
M 8	20	100	02	21,67
M 8	22	500	01	22,22
M 8	25	200	01	21,39
M 8	25	100	02	22,22
M 8	30	200	01	25,28
M 8	30	100	02	26,11
M 8	35	200	01	28,22
M 8	35	100	02	29,06
M 8	40	200	01	28,67
M 8	40	50	02	29,50
M 8	45	200	01	33,39
M 8	50	200	01	39,17
M 8	50	50	02	40,00
M 8	55	200	01	39,44
M 8	60	200	01	41,11
M 8	65	100	01	44,17
M 8	70	100	01	54,61
M 8	80	100	01	55,33
M 8	90	100	01	66,11
M 8	100	100	01	67,50

d mm	l mm	Inhalt Stck	VE	€ 100 Stck
M 8	110	100	01	93,67
M 8	120	100	01	100,39
M 10	16	200	01	37,17
M 10	18	200	01	37,83
M 10	20	200	01	38,17
M 10	20	50	02	39,00
M 10	22	200	01	39,72
M 10	25	200	01	40,33
M 10	25	50	02	41,17
M 10	30	200	01	40,72
M 10	30	50	02	41,56
M 10	35	200	01	46,50
M 10	35	50	02	47,33
M 10	40	200	01	46,72
M 10	40	50	02	47,56
M 10	45	100	01	51,33
M 10	50	100	01	65,33
M 10	50	50	02	66,17
M 10	55	100	01	69,56
M 10	60	100	01	75,89
M 10	60	50	02	76,72
M 10	65	100	01	81,50
M 10	70	100	01	88,89
M 10	80	100	01	92,56
M 10	90	50	01	104,56
M 10	100	50	01	114,61
M 10	110	50	01	129,44
M 10	120	50	01	140,33
M 12	20	100	01	60,56
M 12	25	100	01	65,11
M 12	30	100	01	69,44
M 12	35	100	01	75,83
M 12	40	100	01	80,72
M 12	45	100	01	87,06
M 12	50	100	01	93,33

Sechskantschrauben mit Gewinde bis Kopf A2

Hexagon set screws A2 stainless steel
Vis à tête hexagonale entièrement fileté



DIN 933 DIN-EN-ISO 4017

WGR 3365 000


d mm	l mm	Inhalt Stck	VE	€ 100 Stck
M 12	55	100	01	98,89
M 12	60	100	01	106,67
M 12	65	50	01	108,83
M 12	70	50	01	110,94
M 12	80	50	01	123,83
M 12	90	50	01	150,00
M 12	100	50	01	170,00
M 12	110	50	01	176,22
M 12	120	50	01	210,56
M 14	25	100	01	83,06
M 14	30	100	01	109,06
M 14	35	100	01	118,61
M 14	40	100	01	135,33
M 14	45	50	01	139,44
M 14	50	50	01	144,22
M 14	55	50	01	152,89
M 14	60	50	01	167,89
M 14	70	50	01	182,78
M 14	80	50	01	200,33
M 14	90	50	01	219,44
M 14	100	50	01	258,67
M 16	20	50	01	127,50
M 16	25	50	01	131,89
M 16	30	50	01	150,00
M 16	35	50	01	155,56
M 16	40	50	01	166,11
M 16	45	50	01	175,00
M 16	50	50	01	178,06
M 16	55	50	01	182,50
M 16	60	50	01	200,72
M 16	65	50	01	213,89
M 16	70	50	01	218,67
M 16	75	25	01	230,83
M 16	80	25	01	242,94
M 16	90	25	01	250,61

d mm	l mm	Inhalt Stck	VE	€ 100 Stck
M 16	100	25	01	261,78
M 16	110	25	01	310,00
M 16	120	25	01	370,94
M 16	130	25	01	405,56
M 16	140	25	01	424,94
M 16	150	25	01	472,22
M 18	30	50	01	213,44
M 18	35	50	01	244,72
M 18	40	50	01	242,39
M 18	45	50	01	251,39
M 18	50	50	01	271,11
M 18	55	50	01	292,22
M 18	60	25	01	311,11
M 18	65	25	01	318,89
M 18	70	25	01	330,00
M 18	75	25	01	352,22
M 18	80	25	01	377,22
M 18	90	25	01	443,89
M 18	100	25	01	456,39
M 18	110	25	01	579,06
M 18	120	25	01	740,00
M 18	130	25	01	772,22
M 18	140	25	01	805,56
M 18	150	25	01	877,78
M 20	30	50	01	266,67
M 20	35	50	01	284,06
M 20	40	50	01	301,39
M 20	45	25	01	306,94
M 20	50	25	01	313,94
M 20	55	25	01	320,89
M 20	60	25	01	324,39
M 20	65	25	01	334,89
M 20	70	25	01	348,11
M 20	75	25	01	360,78
M 20	80	25	01	398,22

Sechskantschrauben mit Gewinde bis Kopf A2

Hexagon set screws A2 stainless steel

Vis à tête hexagonale entièrement filetée



DIN 933 DIN-EN-ISO 4017


WGR 3365 000

d mm	l mm	Inhalt Stck	VE	€ 100 Stck
M 20	90	25	01	436,17
M 20	100	25	01	475,50
M 20	110	25	01	520,50
M 20	120	25	01	633,33
M 20	130	25	01	676,11
M 20	140	25	01	718,89
M 20	150	25	01	772,22
M 22	50	25	01	405,56
M 22	55	25	01	422,22
M 22	60	25	01	438,89
M 22	65	25	01	466,67
M 22	70	25	01	477,78
M 22	75	25	01	516,67
M 22	80	25	01	583,33
M 22	90	25	01	616,67
M 22	100	25	01	677,78
M 22	110	25	01	736,95
M 22	120	25	01	797,22
M 22	130	25	01	859,45
M 22	140	25	01	921,11
M 22	150	25	01	1000,56
M 24	50	20	01	504,44
M 24	55	20	01	511,28
M 24	60	20	01	539,44
M 24	65	20	01	567,61
M 24	70	20	01	666,67
M 24	75	20	01	694,45
M 24	80	20	01	722,22
M 24	90	20	01	752,83
M 24	100	20	01	788,89
M 24	110	20	01	888,89
M 24	120	25	01	916,67
M 24	130	25	01	941,67
M 24	140	15	01	965,78

d mm	l mm	Inhalt Stck	VE	€ 100 Stck
M 24	150	25	01	1027,78
M 27	50	50	01	1166,67
M 27	55	50	01	1213,89
M 27	60	25	01	1262,78
M 27	65	25	01	1327,78
M 27	70	25	01	1472,22
M 27	80	25	01	1555,56
M 27	90	25	01	1644,45
M 27	100	25	01	1805,56
M 27	110	25	01	2194,45
M 27	120	25	01	2416,67
M 27	130	25	01	2722,22
M 27	140	25	01	3000,00
M 27	150	25	01	3333,34
M 30	60	25	01	1344,45
M 30	65	25	01	1566,67
M 30	70	25	01	1605,56
M 30	75	25	01	1622,22
M 30	80	25	01	1638,89
M 30	90	25	01	1655,56
M 30	100	25	01	1666,67
M 30	110	10	01	1711,11
M 30	120	10	01	1777,78
M 30	130	10	01	1877,78
M 30	140	10	01	1944,45
M 30	150	10	01	2083,34
M 36	80	25	01	1385,17
M 36	90	25	01	1704,06
M 36	100	25	01	1961,67
M 36	110	20	01	2255,67
M 36	120	20	01	2694,45
M 36	130	20	01	3277,78
M 36	140	20	01	3888,89
M 36	150	15	01	4066,67

Sechskantschrauben mit Gewinde bis Kopf A4

Hexagon head screws
Vis à tête hexagonale



DIN 933 DIN-EN-ISO 4017

d	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24	M 27	M 30	M 36
k	2,8	3,5	4	5,3	6,4	7,5	8,8	10	11,5	12,5	14	15	17	18,7	22,5
a	2,1	2,4	3	3,75	4,5	5,25	6	6	7,5	7,5	7,5	9	9	10,5	12
s	7	8	10	13	17	19	22/21	24	27	30	32	36	41	46	55


WGR 3605 000

d	l	Inhalt	€
mm	mm	Stck	100 Stck
M 4	6	2000	7,67
M 4	8	1000	7,89
M 4	10	1000	8,17
M 4	12	1000	9,17
M 4	14	1000	9,39
M 4	16	1000	9,72
M 4	18	1000	10,83
M 4	20	500	11,39
M 4	22	500	12,50
M 4	25	500	13,67
M 4	30	500	16,11
M 4	35	200	18,33
M 4	40	200	38,61
M 5	8	1000	9,72
M 5	10	500	9,78
M 5	12	500	10,28
M 5	14	500	10,89
M 5	16	500	11,50
M 5	18	500	12,11
M 5	20	500	12,67
M 5	22	500	13,22
M 5	25	200	13,89
M 5	30	200	15,83
M 5	35	200	20,39
M 5	40	200	20,56
M 5	45	200	21,17
M 5	50	200	21,83
M 5	55	200	27,22
M 5	60	200	32,44
M 5	70	200	45,44

d	l	Inhalt	€
mm	mm	Stck	100 Stck
M 6	8	500	12,33
M 6	10	500	12,78
M 6	12	500	15,44
M 6	14	500	15,83
M 6	16	200	16,11
M 6	18	200	16,67
M 6	20	200	17,56
M 6	22	200	17,78
M 6	25	200	18,39
M 6	30	200	20,56
M 6	35	200	22,50
M 6	40	200	26,94
M 6	45	100	27,28
M 6	50	100	29,44
M 6	55	100	36,33
M 6	60	100	38,72
M 8	10	500	30,00
M 8	12	500	30,67
M 8	14	500	36,78
M 8	16	500	35,78
M 8	18	500	36,16
M 8	20	500	36,39
M 8	22	500	43,33
M 8	25	200	42,22
M 8	30	200	44,06
M 8	35	200	52,56
M 8	40	200	58,56
M 8	45	200	62,28
M 8	50	200	69,28
M 8	55	200	71,72

Sechskantschrauben mit Gewinde bis Kopf A4

Hexagon head screws
Vis à tête hexagonale



DIN 933 DIN-EN-ISO 4017


WGR 3605 000

d mm	l mm	Inhalt Stck	€ 100 Stck
M 8	60	200	78,67
M 8	65	100	85,28
M 8	70	100	93,28
M 8	80	100	104,56
M 8	90	100	113,22
M 8	100	100	121,89
M 8	110	100	150,00
M 8	120	100	170,00
M 10	16	200	65,56
M 10	20	200	68,33
M 10	25	200	72,50
M 10	30	200	75,56
M 10	35	200	77,78
M 10	40	200	79,72
M 10	45	100	84,17
M 10	50	100	93,11
M 10	55	100	113,33
M 10	60	100	128,11
M 10	65	100	137,22
M 10	70	100	151,22
M 10	80	100	157,06
M 10	90	50	173,94
M 10	100	50	199,94
M 10	110	50	220,61
M 10	120	50	227,00
M 12	20	100	96,94
M 12	25	100	103,61
M 12	30	100	110,67
M 12	35	100	119,44
M 12	40	100	126,33
M 12	45	100	128,89
M 12	50	100	131,67
M 12	55	100	132,94
M 12	60	100	160,33
M 12	65	50	161,89

d mm	l mm	Inhalt Stck	€ 100 Stck
M 12	70	50	164,39
M 12	80	50	197,22
M 12	90	50	249,56
M 12	100	50	258,33
M 12	110	50	311,11
M 12	120	50	327,78
M 14	25	50	166,67
M 14	30	50	170,44
M 14	35	50	171,22
M 14	40	50	171,67
M 14	45	50	172,22
M 14	50	50	240,00
M 14	55	50	244,17
M 14	60	50	248,89
M 14	65	50	270,00
M 14	70	50	292,22
M 14	80	50	315,06
M 14	90	50	372,56
M 14	100	50	430,00
M 14	110	50	472,11
M 14	120	50	514,22
M 16	20	50	172,78
M 16	25	50	177,78
M 16	30	50	203,78
M 16	35	50	216,00
M 16	40	50	230,67
M 16	45	50	238,89
M 16	50	50	253,72
M 16	55	50	261,11
M 16	60	50	293,33
M 16	65	50	306,67
M 16	70	50	323,83
M 16	75	25	340,17
M 16	80	25	371,06
M 16	90	25	444,44

Sechskantschrauben mit Gewinde bis Kopf A4

Hexagon head screws
Vis à tête hexagonale



DIN 933 DIN-EN-ISO 4017


WGR 3605 000

d mm	l mm	Inhalt Stck	€ 100 Stck
M 16	100	25	520,28
M 16	110	25	583,33
M 16	120	25	645,33
M 16	130	25	650,00
M 16	140	25	688,89
M 16	150	25	736,56
M 18	30	25	388,89
M 18	35	25	416,67
M 18	40	25	441,67
M 18	45	25	447,33
M 18	50	25	466,67
M 18	55	25	486,72
M 18	60	25	508,33
M 18	65	25	529,28
M 18	70	25	575,00
M 18	80	25	636,11
M 18	90	25	673,33
M 18	100	25	719,45
M 18	110	25	765,56
M 18	120	25	853,89
M 18	130	25	1023,61
M 18	140	25	1058,50
M 18	150	25	1093,33
M 20	30	50	399,44
M 20	35	50	460,00
M 20	40	50	494,78
M 20	45	25	529,67
M 20	50	25	568,67
M 20	55	25	607,61
M 20	60	25	572,89
M 20	65	25	583,89
M 20	70	25	594,44
M 20	75	25	733,33
M 20	80	25	766,67
M 20	90	25	794,95

d mm	l mm	Inhalt Stck	€ 100 Stck
M 20	100	25	926,11
M 20	110	25	968,33
M 20	120	25	984,45
M 20	130	25	1064,95
M 20	140	25	1131,00
M 20	150	10	1500,00
M 22	50	25	735,00
M 22	55	25	773,67
M 22	60	25	806,61
M 22	65	25	917,72
M 22	70	25	1017,22
M 22	80	25	1116,95
M 22	90	25	1218,89
M 22	100	25	1275,00
M 22	110	25	1328,22
M 22	120	25	1534,33
M 22	130	25	1660,00
M 22	140	25	1750,56
M 22	150	25	1940,39
M 24	50	20	727,33
M 24	55	20	965,10
M 24	60	20	973,45
M 24	65	20	939,61
M 24	70	20	1093,33
M 24	75	20	1226,67
M 24	80	20	1286,11
M 24	90	20	1353,89
M 24	100	20	1400,00
M 24	110	20	1500,00
M 24	120	20	1611,11
M 24	130	15	1722,22
M 24	140	15	1750,00
M 24	150	15	1805,56
M 27	50	25	1027,78
M 27	55	25	1068,67

Sechskantschrauben mit Gewinde bis Kopf A4

Hexagon head screws
Vis à tête hexagonale



DIN 933 DIN-EN-ISO 4017

WGR 3605 000

d mm	l mm	Inhalt Stck	€ 100 Stck
M 27	60	25	1241,67
M 27	65	25	1350,56
M 27	70	25	1527,78
M 27	80	25	1665,67
M 27	90	25	1728,33
M 27	100	25	1759,45
M 27	110	25	1790,56
M 27	120	25	1875,61
M 27	130	25	2044,45
M 27	140	25	2161,11
M 27	150	25	2250,00
M 30	60	25	2340,89
M 30	65	25	2119,72
M 30	70	25	2073,33
M 30	80	25	2073,33

d mm	l mm	Inhalt Stck	€ 100 Stck
M 30	90	25	2299,00
M 30	100	25	2555,56
M 30	110	20	2854,28
M 30	120	20	3152,95
M 30	130	20	4166,67
M 30	140	20	4722,23
M 30	150	20	5277,78
M 36	80	20	4000,00
M 36	90	20	4222,23
M 36	100	20	4686,84
M 36	110	20	4828,89
M 36	120	20	5279,45
M 36	130	20	6222,23
M 36	140	20	7385,34
M 36	150	15	8611,12