


Senkschrauben mit Kreuzschlitz H A2

Cross recessed countersunk (flat) head screws H
Vis à tête fraisée, à empreinte cruciforme



DIN 965 DIN-EN-ISO 7046

d	M 2	M 2,5	M 3	M 4	M 5	M 6	M 8	M 10
dk	2,8	4,7	5,6	7,5	9,2	11	14,5	18
k	1,2	1,5	1,65	2,2	2,5	3	4	5
Kreuzschlitz Größe	1	1	1	2	2	3	4	4


WGR 3378 000

d mm	l mm	Inhalt Stck	VE	€ 100 Stck
M 2	10,0	2000	01	2,11
M 2,5	6,0	2000	01	1,83
M 2,5	8,0	2000	01	1,50
M 3	4,0	2000	01	2,22
M 3	5,0	2000	01	2,22
M 3	6,0	2000	01	1,67
M 3	8,0	2000	01	1,72

d mm	l mm	Inhalt Stck	VE	€ 100 Stck
M 3	8,0	100	02	2,56
M 3	10,0	2000	01	1,78
M 3	10,0	100	02	2,61
M 3	12,0	2000	01	1,89
M 3	12,0	100	02	2,72
M 3	14,0	2000	01	3,33
M 3	16,0	2000	01	2,22

Senkschrauben mit Kreuzschlitz H A2

Cross recessed countersunk (flat) head screws H
Vis à tête fraisée, à empreinte cruciforme



DIN 965 DIN-EN-ISO 7046

WGR 3378 000


d mm	l mm	Inhalt Stck	VE	€ 100 Stck
M 3	18,0	2000	01	4,56
M 3	20,0	2000	01	2,44
M 3	22,0	2000	01	6,39
M 3	25,0	2000	01	3,89
M 3	30,0	2000	01	4,44
M 4	6,0	2000	01	2,78
M 4	8,0	2000	01	2,22
M 4	8,0	100	02	3,06
M 4	10,0	2000	01	2,61
M 4	10,0	100	02	3,44
M 4	12,0	2000	01	2,78
M 4	12,0	100	02	3,61
M 4	14,0	2000	01	3,67
M 4	16,0	2000	01	3,39
M 4	16,0	100	02	4,22
M 4	18,0	2000	01	9,61
M 4	20,0	2000	01	4,67
M 4	20,0	100	02	5,50
M 4	22,0	1000	01	4,83
M 4	25,0	1000	01	4,94
M 4	25,0	100	02	5,78
M 4	30,0	1000	01	5,56
M 4	30,0	100	02	6,39
M 4	35,0	1000	01	6,67
M 4	40,0	500	01	6,83
M 5	6,0	2000	01	5,00
M 5	8,0	2000	01	3,89
M 5	10,0	2000	01	4,28
M 5	10,0	100	02	5,11
M 5	12,0	1000	01	4,56
M 5	12,0	100	02	5,39
M 5	14,0	1000	01	7,22
M 5	16,0	1000	01	5,67
M 5	16,0	100	02	6,50
M 5	18,0	1000	01	8,89

d mm	l mm	Inhalt Stck	VE	€ 100 Stck
M 5	20,0	1000	01	6,33
M 5	20,0	100	02	7,17
M 5	22,0	1000	01	8,89
M 5	25,0	1000	01	7,44
M 5	25,0	100	02	8,28
M 5	30,0	1000	01	8,33
M 5	30,0	100	02	9,17
M 5	35,0	500	01	9,56
M 5	35,0	100	02	10,39
M 5	40,0	500	01	10,89
M 5	40,0	100	02	11,72
M 5	45,0	500	01	11,39
M 5	50,0	500	01	12,67
M 5	50,0	100	02	13,50
M 5	60,0	500	01	15,61
M 5	70,0	200	01	18,78
M 5	80,0	200	01	19,44
M 6	8,0	1000	01	9,67
M 6	10,0	1000	01	6,89
M 6	10,0	100	02	7,72
M 6	12,0	1000	01	7,17
M 6	12,0	100	02	8,00
M 6	16,0	1000	01	8,39
M 6	16,0	100	02	9,22
M 6	20,0	1000	01	8,44
M 6	20,0	100	02	9,28
M 6	25,0	500	01	11,56
M 6	25,0	100	02	12,39
M 6	30,0	500	01	13,39
M 6	30,0	100	02	14,22
M 6	35,0	500	01	16,44
M 6	35,0	100	02	17,28
M 6	40,0	500	01	16,94
M 6	40,0	100	02	17,78
M 6	45,0	200	01	19,06

Senkschrauben mit Kreuzschlitz H A2

Cross recessed countersunk (flat) head screws H

Vis à tête fraisée, à empreinte cruciforme



DIN 965 DIN-EN-ISO 7046

WGR 3378 000

d mm	l mm	Inhalt Stck	VE	€ 100 Stck
M 6	50,0	200	01	20,17
M 6	50,0	50	02	21,00
M 6	60,0	200	01	22,22
M 6	70,0	200	01	27,22
M 6	80,0	200	01	30,50
M 6	90,0	100	01	36,67
M 8	12,0	500	01	13,89
M 8	16,0	500	01	17,44
M 8	20,0	200	01	19,22
M 8	25,0	500	01	23,83
M 8	30,0	200	01	27,22
M 8	35,0	200	01	36,11

d mm	l mm	Inhalt Stck	VE	€ 100 Stck
M 8	40,0	200	01	40,00
M 8	50,0	200	01	44,44
M 8	60,0	100	01	45,56
M 10	20,0	200	01	56,94
M 10	25,0	200	01	60,28
M 10	30,0	200	01	65,56
M 10	35,0	200	01	68,33
M 10	40,0	200	01	70,00
M 10	45,0	200	01	82,78
M 10	50,0	100	01	116,11
M 10	60,0	100	01	116,67