


## Spannstifte, schwere Ausführung

Spring type straight pins, slotted, heavy type

Goupilles élastiques série épaisse



DIN 1481 DIN-EN-ISO 8752

| d1 | 2    | 2,5 | 3   | 3,5 | 4    | 5   | 6   | 8   | 10  | 12  |
|----|------|-----|-----|-----|------|-----|-----|-----|-----|-----|
| d2 | 1,5  | 1,8 | 2,1 | 2,3 | 2,8  | 3,4 | 4   | 5,5 | 6,5 | 7,5 |
| a  | 0,55 | 0,6 | 0,7 | 0,8 | 0,85 | 1,1 | 1,4 | 2   | 2,4 | 2,4 |

## WGR 1716 000

| d<br>mm | l<br>mm | Inhalt<br>Stck | €<br>100 Stck |
|---------|---------|----------------|---------------|
| 2,0     | 4       | 1000           | 2,60          |
| 2,0     | 5       | 1000           | 2,76          |
| 2,0     | 6       | 1000           | 2,84          |
| 2,0     | 8       | 1000           | 2,92          |
| 2,0     | 10      | 1000           | 2,96          |
| 2,0     | 12      | 1000           | 2,96          |
| 2,0     | 14      | 1000           | 2,96          |
| 2,0     | 16      | 1000           | 3,00          |
| 2,0     | 18      | 1000           | 3,00          |
| 2,0     | 20      | 1000           | 3,28          |
| 2,0     | 22      | 1000           | 3,36          |
| 2,0     | 24      | 1000           | 3,44          |
| 2,0     | 26      | 1000           | 3,64          |
| 2,0     | 28      | 1000           | 3,84          |
| 2,0     | 30      | 1000           | 4,04          |
| 2,5     | 4       | 1000           | 2,96          |
| 2,5     | 5       | 1000           | 3,00          |
| 2,5     | 6       | 1000           | 3,00          |
| 2,5     | 8       | 1000           | 3,08          |
| 2,5     | 10      | 1000           | 3,16          |
| 2,5     | 12      | 1000           | 3,16          |
| 2,5     | 14      | 1000           | 3,20          |
| 2,5     | 16      | 1000           | 3,28          |
| 2,5     | 18      | 1000           | 3,32          |
| 2,5     | 20      | 1000           | 3,36          |
| 2,5     | 22      | 1000           | 3,40          |
| 2,5     | 24      | 1000           | 3,64          |
| 2,5     | 26      | 1000           | 3,94          |
| 2,5     | 28      | 1000           | 4,04          |
| 2,5     | 30      | 1000           | 4,32          |
| 3,0     | 4       | 1000           | 2,00          |


| d<br>mm | l<br>mm | Inhalt<br>Stck | €<br>100 Stck |
|---------|---------|----------------|---------------|
| 3,0     | 5       | 1000           | 2,44          |
| 3,0     | 6       | 1000           | 2,48          |
| 3,0     | 8       | 1000           | 2,52          |
| 3,0     | 10      | 1000           | 2,56          |
| 3,0     | 12      | 1000           | 2,56          |
| 3,0     | 14      | 1000           | 2,56          |
| 3,0     | 16      | 1000           | 2,68          |
| 3,0     | 18      | 1000           | 2,76          |
| 3,0     | 20      | 1000           | 2,88          |
| 3,0     | 22      | 500            | 2,92          |
| 3,0     | 24      | 500            | 2,96          |
| 3,0     | 26      | 500            | 3,04          |
| 3,0     | 28      | 500            | 3,24          |
| 3,0     | 30      | 500            | 3,40          |
| 3,0     | 32      | 500            | 3,56          |
| 3,0     | 36      | 500            | 3,88          |
| 3,0     | 40      | 500            | 4,28          |
| 3,0     | 50      | 500            | 4,28          |
| 3,5     | 4       | 1000           | 2,92          |
| 3,5     | 5       | 1000           | 2,92          |
| 3,5     | 6       | 1000           | 2,96          |
| 3,5     | 8       | 1000           | 3,00          |
| 3,5     | 10      | 1000           | 3,04          |
| 3,5     | 12      | 1000           | 3,16          |
| 3,5     | 14      | 1000           | 3,24          |
| 3,5     | 16      | 500            | 3,28          |
| 3,5     | 18      | 500            | 3,32          |
| 3,5     | 20      | 500            | 3,40          |
| 3,5     | 22      | 500            | 3,52          |
| 3,5     | 24      | 500            | 3,56          |
| 3,5     | 26      | 500            | 3,64          |

Kongerslev-Fasteners Aps

Tlf: +45 75154999

**Spannstifte, schwere Ausführung**

Spring type straight pins, slotted, heavy type  
Goupilles élastiques série épaisse



**DIN 1481 DIN-EN-ISO 8752**

**WGR 1716 000**


| d<br>mm | l<br>mm | Inhalt<br>Stck | €<br>100 Stck |
|---------|---------|----------------|---------------|
| 3,5     | 28      | 500            | 3,88          |
| 3,5     | 30      | 250            | 4,04          |
| 3,5     | 32      | 250            | 4,28          |
| 3,5     | 36      | 250            | 4,52          |
| 3,5     | 40      | 250            | 4,96          |
| 4,0     | 4       | 500            | 2,76          |
| 4,0     | 5       | 500            | 2,80          |
| 4,0     | 6       | 500            | 2,80          |
| 4,0     | 8       | 500            | 2,88          |
| 4,0     | 10      | 500            | 2,88          |
| 4,0     | 12      | 500            | 2,96          |
| 4,0     | 14      | 500            | 3,00          |
| 4,0     | 16      | 500            | 3,08          |
| 4,0     | 18      | 500            | 3,16          |
| 4,0     | 20      | 500            | 3,20          |
| 4,0     | 22      | 500            | 3,32          |
| 4,0     | 24      | 500            | 3,36          |
| 4,0     | 26      | 500            | 3,40          |
| 4,0     | 28      | 500            | 3,64          |
| 4,0     | 30      | 500            | 3,80          |
| 4,0     | 32      | 250            | 4,04          |
| 4,0     | 36      | 250            | 4,24          |
| 4,0     | 40      | 250            | 4,64          |
| 4,0     | 45      | 250            | 5,00          |
| 4,0     | 50      | 250            | 5,56          |
| 4,0     | 60      | 250            | 6,12          |
| 5,0     | 5       | 500            | 3,32          |
| 5,0     | 6       | 500            | 3,36          |
| 5,0     | 8       | 500            | 3,36          |
| 5,0     | 10      | 500            | 3,40          |
| 5,0     | 12      | 500            | 3,56          |
| 5,0     | 14      | 500            | 3,72          |
| 5,0     | 16      | 500            | 3,92          |
| 5,0     | 18      | 500            | 4,20          |
| 5,0     | 20      | 500            | 4,28          |

| d<br>mm | l<br>mm | Inhalt<br>Stck | €<br>100 Stck |
|---------|---------|----------------|---------------|
| 5,0     | 22      | 500            | 4,44          |
| 5,0     | 24      | 500            | 4,64          |
| 5,0     | 26      | 250            | 4,88          |
| 5,0     | 28      | 250            | 5,00          |
| 5,0     | 30      | 250            | 5,16          |
| 5,0     | 32      | 250            | 5,36          |
| 5,0     | 36      | 250            | 5,76          |
| 5,0     | 40      | 250            | 6,08          |
| 5,0     | 45      | 250            | 6,64          |
| 5,0     | 50      | 250            | 7,08          |
| 5,0     | 55      | 250            | 7,68          |
| 5,0     | 60      | 250            | 8,64          |
| 5,0     | 65      | 250            | 9,36          |
| 5,0     | 70      | 250            | 10,48         |
| 5,0     | 75      | 250            | 11,48         |
| 5,0     | 80      | 250            | 12,88         |
| 6,0     | 10      | 500            | 3,32          |
| 6,0     | 12      | 500            | 4,04          |
| 6,0     | 14      | 500            | 4,20          |
| 6,0     | 16      | 500            | 4,52          |
| 6,0     | 18      | 500            | 4,80          |
| 6,0     | 20      | 500            | 5,16          |
| 6,0     | 22      | 500            | 5,52          |
| 6,0     | 24      | 500            | 5,84          |
| 6,0     | 26      | 500            | 6,24          |
| 6,0     | 28      | 500            | 6,64          |
| 6,0     | 30      | 500            | 7,00          |
| 6,0     | 32      | 500            | 7,40          |
| 6,0     | 36      | 250            | 7,80          |
| 6,0     | 40      | 250            | 8,28          |
| 6,0     | 45      | 250            | 9,24          |
| 6,0     | 50      | 250            | 10,00         |
| 6,0     | 55      | 250            | 10,80         |
| 6,0     | 60      | 250            | 11,68         |
| 6,0     | 65      | 250            | 12,88         |

## Spannstifte, schwere Ausführung

Spring type straight pins, slotted, heavy type

Goupilles élastiques série épaisse



DIN 1481 DIN-EN-ISO 8752

### WGR 1716 000


| d<br>mm | l<br>mm | Inhalt<br>Stck | €<br>100 Stck |
|---------|---------|----------------|---------------|
| 6,0     | 70      | 250            | 14,04         |
| 6,0     | 75      | 250            | 15,00         |
| 6,0     | 80      | 250            | 16,24         |
| 6,0     | 90      | 250            | 20,76         |
| 6,0     | 100     | 250            | 26,36         |
| 8,0     | 10      | 500            | 6,68          |
| 8,0     | 12      | 500            | 6,72          |
| 8,0     | 14      | 500            | 6,80          |
| 8,0     | 16      | 500            | 6,88          |
| 8,0     | 18      | 500            | 7,24          |
| 8,0     | 20      | 500            | 7,76          |
| 8,0     | 22      | 500            | 8,28          |
| 8,0     | 24      | 250            | 8,88          |
| 8,0     | 26      | 250            | 9,64          |
| 8,0     | 28      | 250            | 10,20         |
| 8,0     | 30      | 250            | 10,96         |
| 8,0     | 32      | 250            | 11,60         |
| 8,0     | 36      | 250            | 12,40         |
| 8,0     | 40      | 250            | 13,20         |
| 8,0     | 45      | 250            | 14,32         |
| 8,0     | 50      | 250            | 15,56         |
| 8,0     | 55      | 250            | 17,84         |
| 8,0     | 60      | 250            | 19,64         |
| 8,0     | 65      | 250            | 21,32         |
| 8,0     | 70      | 250            | 22,72         |
| 8,0     | 75      | 250            | 23,44         |
| 8,0     | 80      | 250            | 29,72         |
| 8,0     | 90      | 100            | 29,16         |
| 8,0     | 100     | 100            | 37,60         |
| 8,0     | 120     | 100            | 102,04        |
| 10,0    | 10      | 500            | 26,68         |
| 10,0    | 12      | 500            | 26,68         |
| 10,0    | 14      | 500            | 9,08          |
| 10,0    | 16      | 500            | 8,32          |
| 10,0    | 18      | 500            | 10,80         |

| d<br>mm | l<br>mm | Inhalt<br>Stck | €<br>100 Stck |
|---------|---------|----------------|---------------|
| 10,0    | 20      | 500            | 11,44         |
| 10,0    | 22      | 500            | 12,40         |
| 10,0    | 24      | 500            | 13,36         |
| 10,0    | 26      | 500            | 14,32         |
| 10,0    | 28      | 500            | 15,00         |
| 10,0    | 30      | 500            | 15,84         |
| 10,0    | 32      | 500            | 17,40         |
| 10,0    | 36      | 250            | 18,80         |
| 10,0    | 40      | 250            | 20,08         |
| 10,0    | 45      | 250            | 22,56         |
| 10,0    | 50      | 100            | 24,68         |
| 10,0    | 55      | 100            | 26,68         |
| 10,0    | 60      | 100            | 29,72         |
| 10,0    | 65      | 100            | 32,96         |
| 10,0    | 70      | 100            | 35,92         |
| 10,0    | 75      | 100            | 38,00         |
| 10,0    | 80      | 100            | 40,40         |
| 10,0    | 90      | 100            | 46,00         |
| 10,0    | 100     | 100            | 43,40         |
| 10,0    | 120     | 50             | 188,80        |
| 10,0    | 140     | 50             | 227,00        |
| 12,0    | 10      | 500            | 110,80        |
| 12,0    | 12      | 500            | 107,64        |
| 12,0    | 14      | 500            | 104,92        |
| 12,0    | 16      | 500            | 101,52        |
| 12,0    | 18      | 500            | 98,48         |
| 12,0    | 20      | 250            | 56,64         |
| 12,0    | 22      | 250            | 58,20         |
| 12,0    | 24      | 250            | 59,76         |
| 12,0    | 26      | 250            | 60,92         |
| 12,0    | 28      | 250            | 62,76         |
| 12,0    | 30      | 250            | 64,20         |
| 12,0    | 32      | 250            | 66,48         |
| 12,0    | 36      | 100            | 67,28         |
| 12,0    | 40      | 100            | 69,04         |

### Spannstifte, schwere Ausführung

Spring type straight pins, slotted, heavy type

Goupilles élastiques série épaisse



DIN 1481 **DIN-EN-ISO 8752**

### WGR 1716 000

| d<br>mm | l<br>mm | Inhalt<br>Stck | €<br>100 Stck |
|---------|---------|----------------|---------------|
| 12,0    | 45      | 100            | 71,04         |
| 12,0    | 50      | 100            | 72,64         |
| 12,0    | 55      | 100            | 75,60         |
| 12,0    | 60      | 100            | 78,80         |
| 12,0    | 65      | 100            | 83,64         |
| 12,0    | 70      | 100            | 91,84         |
| 12,0    | 75      | 100            | 92,00         |

| d<br>mm | l<br>mm | Inhalt<br>Stck | €<br>100 Stck |
|---------|---------|----------------|---------------|
| 12,0    | 80      | 100            | 92,48         |
| 12,0    | 90      | 50             | 119,36        |
| 12,0    | 100     | 50             | 222,56        |
| 12,0    | 120     | 50             | 258,84        |
| 12,0    | 140     | 50             | 294,40        |
| 12,0    | 160     | 50             | 427,96        |
| 12,0    | 180     | 50             | 516,20        |