


Zylinderstifte Toleranzfeld m6

Parallel pins, hardened
Goupilles cylindriques, trempées



DIN 6325 DIN-EN-ISO 8734

d	2	2,5	3	4	5	6	8	10	12	16	20
---	---	-----	---	---	---	---	---	----	----	----	----

WGR 1658 000


d mm	l mm	Inhalt Stck	€ 100 Stck
2,0	6	500	3,48
2,0	8	500	3,52
2,0	10	500	3,92
2,0	12	500	4,00
2,0	14	500	4,08
2,0	16	500	4,32
2,0	18	500	4,56
2,0	20	500	5,20
2,0	24	500	7,44
2,5	6	500	3,52
2,5	8	500	3,60
2,5	10	500	3,92
2,5	12	500	4,00
2,5	14	500	4,08
2,5	16	500	4,32
2,5	18	500	4,60

d mm	l mm	Inhalt Stck	€ 100 Stck
2,5	20	500	5,20
2,5	24	500	7,12
3,0	6	200	3,28
3,0	8	200	3,36
3,0	10	200	3,44
3,0	12	200	3,60
3,0	14	200	3,84
3,0	16	200	4,08
3,0	18	200	4,16
3,0	20	200	4,56
3,0	24	100	5,20
3,0	26	100	6,80
3,0	28	100	6,00
3,0	30	100	6,24
3,0	32	100	6,68
3,0	36	100	8,64

Zylinderstifte Toleranzfeld m6

Paralle pins, hardened

Goupilles cylindriques, trempées



DIN 6325 DIN-EN-ISO 8734

WGR 1658 000


d mm	l mm	Inhalt Stck	€ 100 Stck
3,0	40	100	10,60
4,0	6	100	5,16
4,0	8	100	4,64
4,0	10	100	4,96
4,0	12	100	5,20
4,0	14	100	5,48
4,0	16	100	5,84
4,0	18	100	6,16
4,0	20	100	6,40
4,0	24	100	7,24
4,0	26	100	8,00
4,0	28	100	8,00
4,0	30	100	8,64
4,0	32	100	9,00
4,0	36	100	9,40
4,0	40	100	10,20
4,0	45	100	13,88
4,0	50	100	14,00
5,0	6	100	12,40
5,0	8	100	7,20
5,0	10	100	6,72
5,0	12	100	6,48
5,0	14	100	6,92
5,0	16	100	7,00
5,0	18	100	7,84
5,0	20	100	8,00
5,0	24	100	8,72
5,0	26	100	10,28
5,0	28	100	9,80
5,0	30	100	10,16
5,0	32	100	10,80
5,0	36	100	11,80
5,0	40	100	13,00
5,0	45	100	14,40
5,0	50	100	15,12

d mm	l mm	Inhalt Stck	€ 100 Stck
5,0	60	100	21,44
6,0	8	100	11,08
6,0	10	100	8,00
6,0	12	100	8,12
6,0	14	100	8,68
6,0	16	100	9,04
6,0	18	100	9,48
6,0	20	100	9,64
6,0	22	100	11,96
6,0	24	100	11,00
6,0	26	100	13,20
6,0	28	100	11,20
6,0	30	100	12,36
6,0	32	100	12,80
6,0	36	100	14,40
6,0	40	100	15,60
6,0	45	100	18,40
6,0	50	100	19,20
6,0	55	100	22,40
6,0	60	100	25,60
6,0	70	100	32,20
8,0	10	100	17,76
8,0	12	100	18,36
8,0	14	100	14,00
8,0	16	100	14,60
8,0	18	100	14,72
8,0	20	100	15,40
8,0	22	100	17,40
8,0	24	100	16,16
8,0	26	100	20,08
8,0	28	100	18,60
8,0	30	100	18,88
8,0	32	100	20,08
8,0	36	100	21,68

Zylinderstifte Toleranzfeld m6

Parallel pins, hardened

Goupilles cylindriques, trempées



DIN 6325 DIN-EN-ISO 8734

WGR 1658 000

d mm	l mm	Inhalt Stck	€ 100 Stck
8,0	40	100	23,80
8,0	45	100	26,00
8,0	50	100	27,20
8,0	55	100	32,40
8,0	60	100	33,00
8,0	70	100	41,60
8,0	80	100	46,00
8,0	90	100	72,40
8,0	100	100	84,60
8,0	120	100	133,20
10,0	16	100	29,48
10,0	18	100	22,80
10,0	20	100	22,32
10,0	24	100	24,00
10,0	26	100	28,52
10,0	28	100	26,40
10,0	30	100	27,60
10,0	32	100	28,60
10,0	36	100	30,80
10,0	40	100	33,40
10,0	45	100	37,00
10,0	50	100	42,80
10,0	55	100	45,20
10,0	60	100	46,40
10,0	70	100	59,20
10,0	80	100	65,80
10,0	90	100	88,00
10,0	100	100	98,00
10,0	120	100	137,20
12,0	26	100	40,28
12,0	28	100	36,80
12,0	30	100	38,00
12,0	32	100	39,20

d mm	l mm	Inhalt Stck	€ 100 Stck
12,0	36	100	42,40
12,0	40	100	45,20
12,0	45	100	48,80
12,0	50	100	52,40
12,0	55	50	58,00
12,0	60	50	60,00
12,0	70	50	78,00
12,0	80	50	87,20
12,0	90	50	114,00
12,0	100	50	132,00
12,0	120	50	160,00
16,0	32	50	99,60
16,0	40	50	110,00
16,0	45	50	124,80
16,0	50	50	132,00
16,0	55	50	140,00
16,0	60	50	150,40
16,0	70	25	168,00
16,0	80	25	181,20
16,0	90	25	202,00
16,0	100	25	235,60
16,0	120	25	272,00
20,0	40	25	194,40
20,0	45	25	210,00
20,0	50	25	213,40
20,0	55	25	241,20
20,0	60	25	249,20
20,0	70	25	282,40
20,0	80	25	308,20
20,0	90	25	335,60
20,0	100	25	368,00
20,0	120	25	416,80