


HV-Sechskantschrauben 10.9 Fabr. Peiner

Hexagon bolts with large widths across flats for high tensile structural bolting with 2 round washers DIN 6919 and 1 nut DIN 6915

Boulons pour assemblages HV 10.9



DIN 6914

d	M 12	M 16	M 20	M 22	M 24	M 27	M 30	M 36
s	22	27	32	36	41	46	50	60
k	8	10	13	14	15	17	19	23
b 1/2	21/23	26/28	31/33	32/34	34/37	37/39	40/42	48/50

WGR 0150


062 HV-feuerverz. (tzn) • HV-hot-dip galvanized • zingué au feu HV (tzn)

d	l	Inhalt	€	d	l	Inhalt	€
mm	mm	Stck	100 Stck	mm	mm	Stck	100 Stck
M 12	30	100	80,60	M 12	75	50	311,00
M 12	35	100	89,60	M 12	80	50	311,00
M 12	40	100	92,10	M 12	85	50	461,00
M 12	45	100	97,25	M 12	90	50	462,00
M 12	50	100	103,00	M 12	95	50	539,00
M 12	55	100	110,00	M 12	100	50	540,00
M 12	60	50	116,00	M 12	110	50	668,00
M 12	65	50	142,00	M 12	120	50	759,00
M 12	70	50	150,00	M 16	35	50	147,00

HV-Sechskantschrauben 10.9 Fabr. Peiner

Hexagon bolts with large widths across flats for high tensile structural bolting with 2 round washers DIN 6919 and 1 nut DIN 6915

Boulons pour assemblages HV 10.9



DIN 6914

WGR 0150


062 HV-feuerverz. (tzn) • HV-hot-dip galvanized • zingué au feu HV (tzn)

d mm	l mm	Inhalt Stck	€ 100 Stck	d mm	l mm	Inhalt Stck	€ 100 Stck
M 16	40	50	148,00	M 20	70	25	327,00
M 16	45	50	159,00	M 20	75	25	339,00
M 16	50	50	170,00	M 20	80	25	353,00
M 16	55	50	179,00	M 20	85	25	378,00
M 16	60	50	187,00	M 20	90	25	379,00
M 16	65	50	196,00	M 20	95	25	393,00
M 16	70	50	208,00	M 20	100	25	397,00
M 16	75	50	219,00	M 20	105	25	435,00
M 16	80	25	226,00	M 20	110	25	438,00
M 16	85	25	252,00	M 20	115	25	455,00
M 16	90	25	255,00	M 20	120	25	527,00
M 16	95	25	317,00	M 20	125	25	552,00
M 16	100	25	319,00	M 20	130	25	555,00
M 16	105	25	534,00	M 20	135	25	849,00
M 16	110	25	536,00	M 20	140	25	852,00
M 16	115	25	603,00	M 20	145	25	932,00
M 16	120	25	740,00	M 20	150	25	1138,00
M 16	125	25	821,00	M 20	155	20	1235,00
M 16	130	25	823,00	M 20	160	20	1238,00
M 16	140	25	874,00	M 20	165	20	1334,00
M 16	150	25	993,00	M 20	170	20	1339,00
M 16	160	25	1075,00	M 20	175	20	1441,00
M 16	170	25	1158,00	M 20	180	15	1441,00
M 16	180	25	1245,00	M 20	190	15	1545,00
M 16	190	25	1329,00	M 20	200	15	1753,00
M 16	200	25	1504,00	M 20	210	15	1857,00
M 16	210	25	1605,00	M 20	220	15	1965,00
M 16	220	25	1884,00	M 20	230	15	2075,00
M 20	40	25	285,00	M 20	240	15	2181,00
M 20	45	25	288,00	M 20	250	15	2290,00
M 20	50	25	283,00	M 20	260	15	2399,00
M 20	55	25	286,00	M 22	50	25	570,00
M 20	60	25	300,00	M 22	55	25	575,00
M 20	65	25	314,00	M 22	60	25	579,00

HV-Sechskantschrauben 10.9 Fabr. Peiner

Hexagon bolts with large widths across flats for high tensile structural bolting with 2 round washers DIN 6919 and 1 nut DIN 6915

Boulons pour assemblages HV 10.9



DIN 6914

WGR 0150

062 HV-feuerverz. (tzn) • HV-hot-dip galvanized • zingué au feu HV (tzn)


d mm	l mm	Inhalt Stck	€ 100 Stck
M 22	65	25	599,00
M 22	70	25	615,00
M 22	75	25	641,00
M 22	80	25	661,00
M 22	85	25	697,00
M 22	90	25	699,00
M 22	95	25	736,00
M 22	100	25	739,00
M 22	105	25	775,00
M 22	110	25	779,00
M 22	115	25	829,00
M 22	120	25	834,00
M 22	125	25	873,00
M 22	130	25	876,00
M 22	140	25	1345,00
M 22	150	15	1470,00
M 22	160	15	1598,00
M 22	170	15	1760,00
M 22	180	15	1886,00
M 22	190	15	2017,00
M 22	200	15	2314,00
M 22	210	15	2453,00
M 22	220	15	2594,00
M 22	230	15	2733,00
M 22	240	10	2870,00
M 22	250	10	3008,00
M 22	260	10	3144,00
M 24	50	25	475,00
M 24	55	25	476,00
M 24	60	25	470,00
M 24	65	25	476,00
M 24	70	25	494,00
M 24	75	25	513,00
M 24	80	25	528,00

d mm	l mm	Inhalt Stck	€ 100 Stck
M 24	85	25	556,00
M 24	90	25	557,00
M 24	95	25	585,00
M 24	100	25	589,00
M 24	105	25	618,00
M 24	110	25	622,00
M 24	115	25	655,00
M 24	120	20	660,00
M 24	125	20	696,00
M 24	130	20	699,00
M 24	135	25	733,00
M 24	140	20	845,00
M 24	145	20	883,00
M 24	150	15	888,00
M 24	155	15	1275,00
M 24	160	15	1280,00
M 24	165	15	1375,00
M 24	170	10	1674,00
M 24	175	10	1793,00
M 24	180	10	1798,00
M 24	190	10	1920,00
M 24	200	10	2044,00
M 24	210	10	2304,00
M 24	220	10	2434,00
M 24	230	10	2568,00
M 24	240	10	2700,00
M 24	250	10	2830,00
M 24	260	10	2960,00
M 27	60	10	773,00
M 27	65	10	780,00
M 27	70	10	792,00
M 27	75	10	806,00
M 27	80	10	832,00
M 27	85	10	869,00

HV-Sechskantschrauben 10.9 Fabr. Peiner

Hexagon bolts with large widths across flats for high tensile structural bolting with 2 round washers DIN 6919 and 1 nut DIN 6915

Boulons pour assemblages HV 10.9



DIN 6914

WGR 0150


062 HV-feuerverz. (tzn) • HV-hot-dip galvanized • zingué au feu HV (tzn)

d mm	l mm	Inhalt Stck	€ 100 Stck	d mm	l mm	Inhalt Stck	€ 100 Stck
M 27	90	10	875,00	M 30	105	10	1271,00
M 27	95	10	916,00	M 30	110	10	1322,00
M 27	100	10	919,00	M 30	115	10	1367,00
M 27	105	10	959,00	M 30	120	10	1374,00
M 27	110	10	965,00	M 30	125	10	1428,00
M 27	115	10	1008,00	M 30	130	10	1435,00
M 27	120	10	1014,00	M 30	135	10	1490,00
M 27	125	10	1031,00	M 30	140	10	1497,00
M 27	130	10	1037,00	M 30	145	10	1787,00
M 27	135	10	1080,00	M 30	150	10	1794,00
M 27	140	10	1086,00	M 30	155	10	1857,00
M 27	145	10	1307,00	M 30	160	10	1865,00
M 27	150	10	1311,00	M 30	165	10	2423,00
M 27	155	10	1361,00	M 30	170	10	2431,00
M 27	160	10	1367,00	M 30	180	5	3086,00
M 27	165	10	1878,00	M 30	190	5	3256,00
M 27	170	10	1884,00	M 30	200	5	3424,00
M 27	175	10	2011,00	M 30	210	5	3820,00
M 27	180	10	2453,00	M 30	220	5	3836,00
M 27	190	10	2613,00	M 30	240	5	4197,00
M 27	200	10	2777,00	M 30	260	5	4553,00
M 27	210	10	3129,00	M 36	90	5	3496,00
M 27	220	10	3314,00	M 36	100	5	3496,00
M 27	230	10	3473,00	M 36	110	5	3646,00
M 27	240	10	3653,00	M 36	120	5	3799,00
M 27	250	10	3825,00	M 36	130	5	3943,00
M 27	260	10	3998,00	M 36	140	5	4064,00
M 30	70	10	1054,00	M 36	150	5	4175,00
M 30	75	10	1078,00	M 36	160	5	4338,00
M 30	80	10	1097,00	M 36	170	5	5726,00
M 30	85	10	1139,00	M 36	180	5	5867,00
M 30	90	10	1169,00	M 36	190	5	6007,00
M 30	95	10	1201,00	M 36	200	5	6178,00
M 30	100	10	1228,00	M 36	210	5	6347,00

HV-Sechskantschrauben 10.9 Fabr. Peiner

Hexagon bolts with large widths across flats for high tensile structural bolting with 2 round washers DIN 6919 and 1 nut DIN 6915

Boulons pour assemblages HV 10.9



DIN 6914

WGR 0150

062 HV-feuerverz. (tzn) • HV-hot-dip galvanized • zingué au feu HV (tzn)


d mm	l mm	Inhalt Stck	€ 100 Stck
M 36	220	5	6513,00
M 36	240	5	6829,00

d mm	l mm	Inhalt Stck	€ 100 Stck
M 36	250	5	6991,00
M 36	260	5	7150,00

HV-Sechskantschrauben 10.9 mit je 2 HV-Scheiben DIN 6916 und 1 HV-Mutter DIN 6915 Fabr. Peiner

Hexagon bolts with large widths across flats for high tensile structural bolting with 2 round washers DIN 6919 and 1 nut DIN 6915

HV - vis à tête hexagonal 10.9 avec 2 rondelles HV DIN 6916 et écrou HV, DIN 6915 fabr. Peiner



DIN 6914

WGR 0151

062 HV-feuerverz. (tzn) • HV-hot-dip galvanized • zingué au feu HV (tzn)


d mm	l mm	€ 100 Stück
M 12	30	157,85
M 12	35	166,85
M 12	40	169,35
M 12	45	174,50
M 12	50	180,25
M 12	55	187,25
M 12	60	193,25
M 12	65	219,25
M 12	70	227,25
M 12	75	388,25
M 12	80	388,25
M 12	85	538,25
M 12	90	539,25
M 12	95	616,25
M 12	100	617,25
M 12	110	745,25

d mm	l mm	€ 100 Stück
M 12	120	836,25
M 16	35	266,05
M 16	40	267,05
M 16	45	278,05
M 16	50	289,05
M 16	55	298,05
M 16	60	306,05
M 16	65	315,05
M 16	70	327,05
M 16	75	338,05
M 16	80	345,05
M 16	85	371,05
M 16	90	374,05
M 16	95	436,05
M 16	100	438,05
M 16	105	653,05

**HV-Sechskantschrauben 10.9 mit je 2 HV-Scheiben DIN 6916 und 1 HV-Mutter DIN 6915
Fabr. Peiner**

Hexagon bolts with large widths across flats for high tensile structural bolting with 2 round washers DIN 6916 and 1 nut DIN 6915

HV - vis à tête hexagonal 10.9 avec 2 rondelles HV DIN 6916 et écrou HV, DIN 6915 fabr. Peiner



DIN 6914

WGR 0151


062 HV-feuerverz. (tzn) • HV-hot-dip galvanized • zingué au feu HV (tzn)

d mm	l mm	€ 100 Stück	d mm	l mm	€ 100 Stück
M 16	110	655,05	M 20	140	1027,40
M 16	115	722,05	M 20	145	1107,40
M 16	120	859,05	M 20	150	1313,40
M 16	125	940,05	M 20	155	1410,40
M 16	130	942,05	M 20	160	1413,40
M 16	140	993,05	M 20	165	1509,40
M 16	150	1112,05	M 20	170	1514,40
M 16	160	1194,05	M 20	175	1616,40
M 16	170	1277,05	M 20	180	1616,40
M 16	180	1364,05	M 20	190	1720,40
M 16	190	1448,05	M 20	200	1928,40
M 16	200	1623,05	M 20	210	2032,40
M 16	210	1724,05	M 20	220	2140,40
M 16	220	2003,05	M 20	230	2250,40
M 20	40	460,40	M 20	240	2356,40
M 20	45	463,40	M 20	250	2465,40
M 20	50	458,40	M 20	260	2574,40
M 20	55	461,40	M 22	50	789,40
M 20	60	475,40	M 22	55	794,40
M 20	65	489,40	M 22	60	798,40
M 20	70	502,40	M 22	65	818,40
M 20	75	514,40	M 22	70	834,40
M 20	80	528,40	M 22	75	860,40
M 20	85	553,40	M 22	80	880,40
M 20	90	554,40	M 22	85	916,40
M 20	95	568,40	M 22	90	918,40
M 20	100	572,40	M 22	95	955,40
M 20	105	610,40	M 22	100	958,40
M 20	110	613,40	M 22	105	994,40
M 20	115	630,40	M 22	110	998,40
M 20	120	702,40	M 22	115	1048,40
M 20	125	727,40	M 22	120	1053,40
M 20	130	730,40	M 22	125	1092,40
M 20	135	1024,40	M 22	130	1095,40

**HV-Sechskantschrauben 10.9 mit je 2 HV-Scheiben DIN 6916 und 1 HV-Mutter DIN 6915
Fabr. Peiner**

Hexagon bolts with large widths across flats for high tensile structural bolting with 2 round washers DIN 6919 and 1 nut DIN 6916

HV - vis à tête hexagonal 10.9 avec 2 rondelles HV DIN 6916 et écrou HV, DIN 6915 fabr. Peiner



DIN 6914

WGR 0151


062 HV-feuerverz. (tzn) • HV-hot-dip galvanized • zingué au feu HV (tzn)

d mm	l mm	€ 100 Stück	d mm	l mm	€ 100 Stück
M 22	140	1564,40	M 24	155	1554,20
M 22	150	1689,40	M 24	160	1559,20
M 22	160	1817,40	M 24	165	1654,20
M 22	170	1979,40	M 24	170	1953,20
M 22	180	2105,40	M 24	175	2072,20
M 22	190	2236,40	M 24	180	2077,20
M 22	200	2533,40	M 24	190	2199,20
M 22	210	2672,40	M 24	200	2323,20
M 22	220	2813,40	M 24	210	2583,20
M 22	230	2952,40	M 24	220	2713,20
M 22	240	3089,40	M 24	230	2847,20
M 22	250	3227,40	M 24	240	2979,20
M 22	260	3363,40	M 24	250	3109,20
M 24	50	754,20	M 24	260	3239,20
M 24	55	755,20	M 27	60	1229,20
M 24	60	749,20	M 27	65	1236,20
M 24	65	755,20	M 27	70	1248,20
M 24	70	773,20	M 27	75	1262,20
M 24	75	792,20	M 27	80	1288,20
M 24	80	807,20	M 27	85	1325,20
M 24	85	835,20	M 27	90	1331,20
M 24	90	836,20	M 27	95	1372,20
M 24	95	864,20	M 27	100	1375,20
M 24	100	868,20	M 27	105	1415,20
M 24	105	897,20	M 27	110	1421,20
M 24	110	901,20	M 27	115	1464,20
M 24	115	934,00	M 27	120	1470,20
M 24	120	939,20	M 27	125	1487,20
M 24	125	975,20	M 27	130	1493,20
M 24	130	978,20	M 27	135	1536,20
M 24	135	1012,20	M 27	140	1542,20
M 24	140	1124,20	M 27	145	1763,20
M 24	145	1162,20	M 27	150	1767,20
M 24	150	1167,20	M 27	155	1817,20

**HV-Sechskantschrauben 10.9 mit je 2 HV-Scheiben DIN 6916 und 1 HV-Mutter DIN 6915
Fabr. Peiner**

Hexagon bolts with large widths across flats for high tensile structural bolting with 2 round washers DIN 6919 and 1 nut DIN 6916

HV - vis à tête hexagonal 10.9 avec 2 rondelles HV DIN 6916 et écrou HV, DIN 6915 fabr. Peiner



DIN 6914

WGR 0151

062 HV-feuerverz. (tzn) • HV-hot-dip galvanized • zingué au feu HV (tzn)

d mm	l mm	€ 100 Stück	d mm	l mm	€ 100 Stück
M 27	160	1823,20	M 30	135	2300,00
M 27	165	2334,20	M 30	140	2307,00
M 27	170	2340,20	M 30	145	2597,00
M 27	175	2467,20	M 30	150	2604,00
M 27	180	2909,20	M 30	155	2667,00
M 27	190	3069,20	M 30	160	2675,00
M 27	200	3233,20	M 30	165	3233,00
M 27	210	3585,20	M 30	170	3241,00
M 27	220	3770,20	M 30	180	3896,00
M 27	230	3929,20	M 30	190	4066,00
M 27	240	4109,20	M 30	200	4234,00
M 27	250	4281,20	M 30	210	4630,00
M 27	260	4454,20	M 30	220	4646,00
M 30	70	1864,00	M 30	240	5007,00
M 30	75	1888,00	M 30	260	5363,00
M 30	80	1907,00	M 36	90	5327,00
M 30	85	1949,00	M 36	100	5327,00
M 30	90	1979,00	M 36	110	5477,00
M 30	95	2011,00	M 36	120	5630,00
M 30	100	2038,00	M 36	130	5774,00
M 30	105	2081,00	M 36	140	5895,00
M 30	110	2132,00	M 36	150	6006,00
M 30	115	2177,00	M 36	160	6169,00
M 30	120	2184,00	M 36	170	7557,00
M 30	125	2238,00	M 36	180	7698,00
M 30	130	2245,00	M 36	190	7838,00