


**Zylinderstifte m. Innengewinde Form D
gehärtet Toleranzfeld m6**

Parallel pins with internal thread, hardened
Goupilles cylindriques, avec filetage intérieure



DIN 7979 DIN-EN-ISO 8735

d1	5	6	8	10	12	14	16	20	25
d2	M3	M4	M5	M6	M6	M8	M8	M10	M12
t1	5	6	8	10	10	12	12	16	-
t2	8	10	12	16	16	20	20	25	-


WGR 1695 000

d	l	Inhalt	€
mm	mm	Stck	100 Stck
5,0	16	100	32,20
5,0	20	100	32,60
5,0	24	100	32,80
5,0	30	100	38,00
5,0	32	100	38,80

d	l	Inhalt	€
mm	mm	Stck	100 Stck
6,0	12	100	47,00
6,0	16	100	25,80
6,0	18	100	29,00
6,0	20	100	24,00
6,0	24	100	25,80

**Zylinderstifte m. Innengewinde Form D
gehärtet Toleranzfeld m6**

Parallel pins with internal thread, hardened
Goupilles cylindriques, avec filetage intérieure



DIN 7979 DIN-EN-ISO 8735


WGR 1695 000

d mm	l mm	Inhalt Stck	€ 100 Stck
6,0	28	100	28,00
6,0	30	100	28,40
6,0	32	100	29,20
6,0	36	100	31,00
6,0	40	100	33,00
6,0	45	100	36,80
6,0	50	100	39,04
6,0	60	100	46,00
6,0	70	100	75,80
6,0	80	100	87,20
8,0	16	100	51,60
8,0	20	100	30,40
8,0	24	100	31,40
8,0	28	100	32,60
8,0	30	100	33,60
8,0	32	100	34,40
8,0	36	100	36,80
8,0	40	100	39,40
8,0	45	100	42,40
8,0	50	100	44,80
8,0	60	100	52,80
8,0	70	100	78,40
8,0	80	100	91,20
10,0	16	100	69,20
10,0	20	100	36,40
10,0	24	100	40,40
10,0	28	100	43,60
10,0	30	100	44,80
10,0	32	100	46,40
10,0	36	100	48,80
10,0	40	100	51,00
10,0	45	100	56,00
10,0	50	100	58,80
10,0	55	100	66,60
10,0	60	100	70,40

d mm	l mm	Inhalt Stck	€ 100 Stck
10,0	70	100	78,20
10,0	80	100	114,00
10,0	90	100	144,40
10,0	100	100	152,80
12,0	28	100	53,60
12,0	30	100	56,80
12,0	32	100	58,40
12,0	36	100	62,80
12,0	40	100	64,40
12,0	45	100	74,00
12,0	50	100	76,00
12,0	60	50	93,20
12,0	70	50	118,40
12,0	80	50	128,00
12,0	90	50	169,20
12,0	100	50	188,20
12,0	120	50	257,20
14,0	40	50	133,20
14,0	50	25	141,60
14,0	60	25	164,00
14,0	70	50	180,00
14,0	80	50	194,60
14,0	100	50	236,40
16,0	32	50	140,00
16,0	36	50	144,00
16,0	40	50	150,00
16,0	45	50	154,40
16,0	50	50	160,40
16,0	55	50	174,80
16,0	60	50	185,00
16,0	70	25	192,80
16,0	80	25	208,80
16,0	90	25	223,40
16,0	100	25	252,20
16,0	120	25	356,00

**Zylinderstifte m. Innengewinde Form D
gehärtet Toleranzfeld m6**

Parallel pins with internal thread, hardened
Goupilles cylindriques, avec filetage intérieure



DIN 7979 DIN-EN-ISO 8735

WGR 1695 000

d mm	l mm	Inhalt Stck	€ 100 Stck
20,0	32	25	205,60
20,0	36	25	213,80
20,0	40	25	229,20
20,0	45	25	235,60
20,0	50	25	249,40
20,0	60	25	272,80

d mm	l mm	Inhalt Stck	€ 100 Stck
20,0	70	25	303,20
20,0	80	25	325,60
20,0	90	25	361,60
20,0	100	25	404,00
20,0	120	25	528,00
25,0	80	25	777,16