


## Zylinderschrauben mit Innensechskant 8.8

Hexagon socket head cap screws  
Vis à tête cylindrique à six pans creux 8.8



DIN 912 DIN-EN-ISO 4762

d	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 24	M 27	M 30	M 36
b	18	20	22	24	28	32	36	40	44	-	52	60	-	72	84
dk	5,5	7	8,5	10	13	16	18	21	24	-	30	36	-	45	54
ds	3	4	5	6	8	10	12	14	16	-	20	24	-	30	36
k	3	4	5	6	8	10	12	14	16	-	20	24	-	30	36
s	2,5	3	4	5	6	8	10	12	14	-	17	19	-	22	27

## WGR 0300 000


d	l	Inhalt	€
mm	mm	Stck	100 Stck
M 3	4	500	4,55
M 3	5	500	4,77
M 3	6	500	4,02
M 3	8	500	3,86
M 3	10	500	3,43
M 3	12	500	3,86
M 3	14	500	4,18
M 3	16	500	4,12
M 3	18	500	4,34
M 3	20	500	4,29
M 3	25	500	4,55
M 3	30	500	4,98
M 3	35	500	7,50
M 3	40	500	8,57
M 4	5	500	6,43
M 4	6	500	2,68
M 4	8	500	2,72
M 4	10	500	3,25
M 4	12	500	3,35
M 4	14	500	3,35
M 4	16	500	3,30
M 4	18	500	3,43
M 4	20	500	3,30
M 4	22	500	3,91
M 4	25	500	3,55
M 4	30	500	4,03
M 4	35	500	4,76
M 4	40	500	5,25

d	l	Inhalt	€
mm	mm	Stck	100 Stck
M 4	45	500	6,48
M 4	50	500	6,59
M 4	55	500	8,57
M 4	60	500	11,68
M 4	65	500	15,54
M 4	70	200	12,20
M 4	80	200	38,84
M 5	6	500	3,75
M 5	8	500	5,20
M 5	10	500	5,15
M 5	12	500	4,18
M 5	14	500	4,45
M 5	16	500	4,50
M 5	18	500	4,60
M 5	20	500	4,67
M 5	22	500	4,86
M 5	25	500	5,21
M 5	30	500	5,40
M 5	35	200	5,60
M 5	40	200	5,76
M 5	45	200	5,79
M 5	50	200	6,37
M 5	55	200	6,75
M 5	60	200	9,00
M 5	65	200	14,62
M 5	70	200	10,34
M 5	75	200	24,11
M 5	80	200	7,71

## Zylinderschrauben mit Innensechskant 8.8

Hexagon socket head cap screws

Vis à tête cylindrique à six pans creux 8.8




DIN 912 DIN-EN-ISO 4762

### WGR 0300 000

d mm	l mm	Inhalt Stck	€ 100 Stck	d mm	l mm	Inhalt Stck	€ 100 Stck
M 5	90	200	14,95	M 6	200	50	348,21
M 5	100	200	16,45	M 8	8	200	18,91
M 5	110	200	38,79	M 8	10	200	5,25
M 5	120	200	51,37	M 8	12	200	5,49
M 6	8	500	6,48	M 8	14	200	6,43
M 6	10	500	3,01	M 8	16	200	5,88
M 6	12	500	3,06	M 8	18	200	7,07
M 6	14	500	3,59	M 8	20	200	6,07
M 6	16	500	3,40	M 8	22	200	6,86
M 6	18	500	3,91	M 8	25	200	6,80
M 6	20	500	3,55	M 8	30	200	7,67
M 6	22	500	4,12	M 8	35	200	8,55
M 6	25	500	3,64	M 8	40	200	9,47
M 6	30	500	3,98	M 8	45	200	10,39
M 6	35	200	4,76	M 8	50	200	11,27
M 6	40	200	5,29	M 8	55	200	13,21
M 6	45	200	5,83	M 8	60	200	14,18
M 6	50	200	6,36	M 8	65	200	16,77
M 6	55	200	8,14	M 8	70	200	17,89
M 6	60	200	8,73	M 8	75	200	18,96
M 6	65	200	8,79	M 8	80	200	20,04
M 6	70	200	9,37	M 8	85	100	22,18
M 6	75	200	9,96	M 8	90	100	23,30
M 6	80	200	12,27	M 8	100	100	25,61
M 6	85	100	25,82	M 8	110	100	31,66
M 6	90	100	13,61	M 8	120	100	34,34
M 6	100	100	17,41	M 8	130	50	37,71
M 6	110	100	19,02	M 8	140	50	40,29
M 6	120	100	20,57	M 8	150	50	42,86
M 6	130	100	46,14	M 8	160	50	80,04
M 6	140	50	70,55	M 8	170	50	87,16
M 6	150	50	117,86	M 8	180	50	94,50
M 6	160	50	178,55	M 8	200	50	154,23
M 6	170	50	281,50	M 10	12	200	10,61
M 6	180	50	283,93	M 10	16	200	10,25

## Zylinderschrauben mit Innensechskant 8.8

Hexagon socket head cap screws  
Vis à tête cylindrique à six pans creux 8.8



DIN 912 DIN-EN-ISO 4762


### WGR 0300 000

d mm	l mm	Inhalt Stck	€ 100 Stck
M 10	18	200	12,75
M 10	20	200	12,15
M 10	22	200	12,05
M 10	25	200	11,51
M 10	30	200	12,63
M 10	35	100	13,75
M 10	40	100	15,35
M 10	45	100	16,37
M 10	50	100	17,78
M 10	55	100	19,23
M 10	60	100	20,69
M 10	65	100	22,15
M 10	70	100	23,61
M 10	75	100	27,64
M 10	80	100	29,20
M 10	85	100	42,75
M 10	90	100	32,41
M 10	100	100	35,57
M 10	110	50	46,61
M 10	120	50	50,36
M 10	130	50	59,62
M 10	140	50	63,86
M 10	150	50	68,09
M 10	160	50	73,98
M 10	170	25	125,46
M 10	180	25	133,71
M 10	200	25	149,79
M 12	16	100	16,61
M 12	20	100	14,23
M 12	25	100	16,17
M 12	30	100	17,78
M 12	35	100	19,43
M 12	40	100	21,08
M 12	45	100	22,68
M 12	50	100	24,67

d mm	l mm	Inhalt Stck	€ 100 Stck
M 12	55	100	26,71
M 12	60	100	28,71
M 12	65	50	30,70
M 12	70	50	32,30
M 12	75	50	34,05
M 12	80	50	36,33
M 12	85	50	49,66
M 12	90	50	44,52
M 12	100	50	48,96
M 12	110	50	72,86
M 12	120	50	78,80
M 12	130	50	84,80
M 12	140	25	95,57
M 12	150	25	101,73
M 12	160	25	114,05
M 12	170	25	147,59
M 12	180	25	152,36
M 12	190	25	184,02
M 12	200	25	247,02
M 12	220	25	348,21
M 12	240	25	471,43
M 12	260	25	535,71
M 12	280	25	632,14
M 12	300	25	696,43
M 14	20	100	59,89
M 14	25	100	49,55
M 14	30	100	25,02
M 14	35	100	26,84
M 14	40	100	28,55
M 14	45	50	31,34
M 14	50	50	33,11
M 14	55	50	36,27
M 14	60	50	38,09
M 14	65	50	42,48
M 14	70	50	43,98

## Zylinderschrauben mit Innensechskant 8.8

Hexagon socket head cap screws  
Vis à tête cylindrique à six pans creux 8.8



DIN 912 DIN-EN-ISO 4762


### WGR 0300 000

d mm	l mm	Inhalt Stck	€ 100 Stck
M 14	75	50	81,37
M 14	80	50	49,71
M 14	90	50	55,82
M 14	100	50	62,95
M 14	110	50	72,00
M 14	120	50	81,64
M 14	130	25	91,82
M 14	140	25	145,93
M 14	150	25	168,32
M 14	160	25	201,75
M 14	180	25	234,00
M 14	200	25	276,80
M 16	20	50	53,30
M 16	25	50	32,74
M 16	30	50	35,21
M 16	35	50	38,23
M 16	40	50	41,19
M 16	45	50	44,20
M 16	50	50	47,99
M 16	55	50	51,63
M 16	60	50	55,23
M 16	65	25	58,87
M 16	70	25	62,51
M 16	75	25	64,10
M 16	80	25	69,75
M 16	85	25	72,15
M 16	90	25	76,99
M 16	100	25	84,22
M 16	110	25	121,57
M 16	120	25	167,91
M 16	130	25	199,29
M 16	140	25	212,79
M 16	150	25	226,39
M 16	160	25	239,95
M 16	170	25	342,86

d mm	l mm	Inhalt Stck	€ 100 Stck
M 16	180	25	342,86
M 16	190	25	385,71
M 16	200	25	385,71
M 16	220	25	446,20
M 16	240	25	463,77
M 16	260	25	480,00
M 16	280	25	490,55
M 16	300	25	498,05
M 18	40	50	82,61
M 18	45	50	87,75
M 18	50	50	90,91
M 18	55	25	96,75
M 18	60	25	102,54
M 18	70	25	117,54
M 18	80	25	127,29
M 18	90	25	143,52
M 18	100	25	156,96
M 20	30	25	73,82
M 20	35	25	69,43
M 20	40	25	67,95
M 20	45	25	68,83
M 20	50	25	77,91
M 20	55	25	82,86
M 20	60	25	87,87
M 20	65	25	94,10
M 20	70	25	97,82
M 20	75	25	105,00
M 20	80	25	109,14
M 20	90	25	125,70
M 20	100	25	136,58
M 20	110	25	157,52
M 20	120	25	187,10
M 20	130	25	221,46
M 20	140	25	258,00
M 20	150	25	274,55

## Zylinderschrauben mit Innensechskant 8.8

Hexagon socket head cap screws  
Vis à tête cylindrique à six pans creux 8.8



DIN 912 DIN-EN-ISO 4762


### WGR 0300 000

d mm	l mm	Inhalt Stck	€ 100 Stck
M 20	160	10	339,48
M 20	170	10	405,05
M 20	180	10	414,86
M 20	190	10	473,36
M 20	200	10	480,00
M 20	220	10	531,43
M 20	240	10	625,23
M 20	260	10	722,89
M 20	280	10	820,29
M 20	300	10	917,73
M 24	40	25	202,66
M 24	45	25	246,70
M 24	50	25	177,09
M 24	55	25	182,43
M 24	60	25	184,28
M 24	65	25	191,42
M 24	70	25	200,94
M 24	75	25	218,86
M 24	80	25	220,37
M 24	90	10	232,07
M 24	100	10	251,31
M 24	110	10	278,02
M 24	120	10	315,86
M 24	130	10	412,02
M 24	140	10	421,98
M 24	150	10	458,14
M 24	160	10	528,75
M 24	170	10	689,57
M 24	180	10	724,07
M 24	200	10	1247,36
M 27	70	10	849,11
M 27	80	10	808,18
M 27	90	10	1018,93
M 27	100	10	1193,04
M 27	110	10	1232,14

d mm	l mm	Inhalt Stck	€ 100 Stck
M 27	120	10	1309,29
M 27	130	10	1364,03
M 27	140	10	1369,55
M 27	150	10	1500,00
M 27	160	10	1596,43
M 27	180	10	1643,46
M 27	190	10	1735,71
M 27	200	10	2678,57
M 27	220	10	2785,71
M 27	240	10	2839,28
M 27	260	10	2946,43
M 27	280	10	3053,57
M 27	300	10	3214,28
M 30	50	10	601,18
M 30	55	10	532,07
M 30	60	10	532,07
M 30	65	10	555,00
M 30	70	10	595,00
M 30	75	10	627,21
M 30	80	10	627,21
M 30	90	10	665,46
M 30	100	10	671,41
M 30	110	10	718,45
M 30	120	10	733,93
M 30	130	10	883,93
M 30	140	10	937,50
M 30	150	10	991,07
M 30	160	10	1033,93
M 30	180	10	1232,14
M 30	200	10	1446,43
M 36	70	10	1157,14
M 36	80	10	1204,82
M 36	90	10	1232,14
M 36	100	10	1371,43
M 36	110	10	1483,93

## Zylinderschrauben mit Innensechskant 8.8

Hexagon socket head cap screws  
Vis à tête cylindrique à six pans creux 8.8



DIN 912 DIN-EN-ISO 4762

### WGR 0300 000

d mm	l mm	Inhalt Stck	€ 100 Stck
M 36	120	10	1685,89
M 36	130	10	1832,14
M 36	140	10	2049,21
M 36	150	10	2035,71

d mm	l mm	Inhalt Stck	€ 100 Stck
M 36	160	10	2303,57
M 36	180	10	2380,82
M 36	200	10	2748,21

### WGR 0300


001 galv. verzinkt • zinc plated • galvanisé

d mm	l mm	Inhalt Stck	€ 100 Stck
M 3	5	500	6,48
M 3	6	500	4,18
M 3	8	500	3,48
M 3	10	500	3,54
M 3	12	500	3,59
M 3	14	500	4,55
M 3	16	500	4,64
M 3	18	500	4,77
M 3	20	500	4,82
M 3	25	500	5,52
M 3	30	500	6,48
M 3	35	500	8,09
M 3	40	500	9,21
M 4	5	500	7,50
M 4	6	500	2,79
M 4	8	500	2,82
M 4	10	500	3,06
M 4	12	500	3,18
M 4	14	500	3,32
M 4	16	500	3,40
M 4	18	500	3,48
M 4	20	500	3,60
M 4	22	500	3,75
M 4	25	500	3,85

d mm	l mm	Inhalt Stck	€ 100 Stck
M 4	30	500	4,13
M 4	35	500	4,91
M 4	40	500	5,39
M 4	45	500	6,32
M 4	50	500	6,70
M 4	55	500	11,79
M 4	60	500	12,96
M 4	65	500	15,80
M 4	70	500	16,00
M 5	6	500	6,91
M 5	8	500	5,36
M 5	10	500	5,29
M 5	12	500	4,37
M 5	14	500	4,66
M 5	16	500	4,70
M 5	18	500	4,75
M 5	20	500	4,95
M 5	22	500	5,02
M 5	25	500	5,10
M 5	30	500	5,15
M 5	35	200	5,25
M 5	40	200	5,32
M 5	45	200	6,16
M 5	50	200	6,75

## Zylinderschrauben mit Innensechskant 8.8

Hexagon socket head cap screws  
Vis à tête cylindrique à six pans creux 8.8



DIN 912 DIN-EN-ISO 4762

### WGR 0300

001 galv. verzinkt • zinc plated • galvanisé


d mm	l mm	Inhalt Stck	€ 100 Stck
M 5	55	200	7,12
M 5	60	200	9,43
M 5	65	200	15,70
M 5	70	200	10,82
M 5	75	200	19,39
M 5	80	200	12,30
M 5	90	200	15,54
M 5	100	200	17,14
M 6	8	500	6,75
M 6	10	500	4,65
M 6	12	500	3,40
M 6	14	500	3,91
M 6	16	500	3,69
M 6	18	500	4,12
M 6	20	500	3,79
M 6	22	500	4,45
M 6	25	500	3,93
M 6	30	500	4,32
M 6	35	200	5,15
M 6	40	200	5,73
M 6	45	200	6,31
M 6	50	200	6,85
M 6	55	200	8,73
M 6	60	200	9,43
M 6	65	200	10,07
M 6	70	200	10,07
M 6	75	200	10,71
M 6	80	200	13,02
M 6	85	100	21,86
M 6	90	100	14,52
M 6	100	100	18,37
M 6	110	100	20,04
M 6	120	100	21,75
M 6	130	100	80,79

d mm	l mm	Inhalt Stck	€ 100 Stck
M 6	140	100	82,45
M 8	8	200	20,52
M 8	10	200	5,78
M 8	12	200	6,07
M 8	14	200	7,12
M 8	16	200	6,56
M 8	18	200	7,87
M 8	20	200	6,61
M 8	22	200	7,45
M 8	25	200	7,38
M 8	30	200	8,31
M 8	35	200	9,28
M 8	40	200	10,25
M 8	45	200	11,27
M 8	50	200	12,24
M 8	55	200	14,28
M 8	60	200	15,30
M 8	65	200	18,11
M 8	70	200	19,29
M 8	75	200	20,46
M 8	80	200	21,64
M 8	85	200	23,84
M 8	90	100	25,07
M 8	100	100	27,48
M 8	110	100	33,59
M 8	120	100	36,48
M 8	130	100	40,02
M 8	140	50	42,75
M 8	150	50	45,43
M 8	160	50	47,62
M 8	180	50	87,43
M 10	12	200	11,57
M 10	14	200	26,04
M 10	16	200	13,00

## Zylinderschrauben mit Innensechskant 8.8

Hexagon socket head cap screws

Vis à tête cylindrique à six pans creux 8.8



DIN 912 DIN-EN-ISO 4762

### WGR 0300

001 galv. verzinkt • zinc plated • galvanisé


d mm	l mm	Inhalt Stck	€ 100 Stck
M 10	18	200	12,75
M 10	20	200	11,46
M 10	22	200	13,34
M 10	25	200	12,48
M 10	30	200	13,70
M 10	35	100	14,96
M 10	40	100	16,17
M 10	45	100	17,73
M 10	50	100	19,33
M 10	55	100	20,89
M 10	60	100	22,44
M 10	65	100	24,04
M 10	70	100	25,60
M 10	75	100	29,95
M 10	80	100	31,71
M 10	85	100	34,10
M 10	90	100	35,20
M 10	100	100	38,57
M 10	110	50	49,71
M 10	120	50	53,73
M 10	130	50	63,27
M 10	140	50	67,77
M 10	150	50	72,27
M 10	160	50	78,43
M 10	180	25	87,59
M 10	200	25	162,80
M 12	16	100	18,16
M 12	20	100	15,74
M 12	25	100	17,53
M 12	30	100	19,33
M 12	35	100	21,08
M 12	40	100	22,83
M 12	45	100	24,63
M 12	50	100	26,76

d mm	l mm	Inhalt Stck	€ 100 Stck
M 12	55	100	28,95
M 12	60	100	31,13
M 12	65	50	33,32
M 12	70	50	35,02
M 12	75	50	36,91
M 12	80	50	46,60
M 12	85	50	49,98
M 12	90	50	48,27
M 12	100	50	53,09
M 12	110	50	77,36
M 12	120	50	83,68
M 12	130	50	90,11
M 12	140	25	101,20
M 12	150	25	107,73
M 12	160	25	120,75
M 12	180	25	127,23
M 12	200	25	254,79
M 14	20	100	72,80
M 14	25	100	46,12
M 14	30	100	48,10
M 14	35	100	53,57
M 14	40	100	36,80
M 14	45	50	39,75
M 14	50	50	42,70
M 14	55	50	44,84
M 14	60	50	47,20
M 14	65	50	52,39
M 14	70	50	54,43
M 14	75	50	94,71
M 14	80	50	95,46
M 14	90	50	107,68
M 14	100	50	117,27
M 14	110	50	129,54
M 14	120	50	148,50



## Zylinderschrauben mit Innensechskant 8.8

Hexagon socket head cap screws  
Vis à tête cylindrique à six pans creux 8.8



DIN 912 DIN-EN-ISO 4762

### WGR 0300

001 galv. verzinkt • zinc plated • galvanisé


d mm	l mm	Inhalt Stck	€ 100 Stck
M 14	130	50	169,50
M 14	140	25	189,16
M 14	150	25	199,87
M 14	160	25	215,14
M 14	180	25	271,18
M 14	200	25	317,95
M 16	20	50	68,68
M 16	25	50	49,00
M 16	30	50	38,23
M 16	35	50	41,48
M 16	40	50	44,73
M 16	45	50	47,94
M 16	50	50	52,07
M 16	55	50	56,00
M 16	60	50	59,94
M 16	65	25	63,87
M 16	70	25	67,81
M 16	75	25	72,32
M 16	80	25	75,67
M 16	90	25	83,54
M 16	100	25	91,41
M 16	110	25	129,15
M 16	120	25	176,07
M 16	130	25	209,04
M 16	140	25	223,18
M 16	150	25	237,43
M 16	160	25	251,62
M 16	180	25	283,50
M 16	200	25	331,34
M 20	30	25	106,02

d mm	l mm	Inhalt Stck	€ 100 Stck
M 20	35	25	123,00
M 20	40	25	109,00
M 20	45	25	112,00
M 20	50	25	115,00
M 20	55	25	120,00
M 20	60	25	123,00
M 20	65	25	127,00
M 20	70	25	130,00
M 20	75	25	132,00
M 20	80	25	134,00
M 20	90	25	136,39
M 20	100	25	148,19
M 20	110	25	194,38
M 20	120	25	226,59
M 20	130	25	281,89
M 20	140	25	322,45
M 20	150	25	342,70
M 20	160	10	411,59
M 20	180	10	484,82
M 20	200	10	563,68
M 24	40	25	237,75
M 24	50	25	205,17
M 24	60	25	220,66
M 24	70	25	241,55
M 24	80	25	261,65
M 24	90	10	280,06
M 24	100	10	303,28
M 24	110	10	333,78
M 24	120	10	357,53

## Zylinderschrauben mit Innensechskant 10.9

Hexagon socket head cap screws

Vis à tête cylindrique à six pans creux 10.9



**DIN 912** **DIN-EN-ISO 4762**

d	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24	M 27	M 30	M 36
b	18	20	22	24	28	32	36	40	44	-	52	56	60	66	72	84
dk	5,5	7	8,5	10	13	16	18	21	24	-	30	33	36	40	45	54
ds	3	4	5	6	8	10	12	14	16	-	20	22	24	27	30	36
k	3	4	5	6	8	10	12	14	16	-	20	22	24	27	30	36
s	2,5	3	4	5	6	8	10	12	14	-	17	17	19	19	22	27


## WGR 0301 000

d mm	l mm	Inhalt Stck	€ 100 Stck
M 3	6	500	12,65
M 3	8	500	6,70
M 3	10	500	7,20
M 3	12	500	7,88
M 3	16	500	4,01
M 3	20	500	5,40
M 3	25	500	5,76
M 3	30	500	5,81
M 4	5	500	6,75
M 4	6	500	4,23
M 4	8	500	3,68
M 4	10	500	3,64
M 4	12	500	3,50
M 4	14	500	3,80
M 4	16	500	3,55
M 4	18	500	3,65
M 4	20	500	3,64
M 4	22	500	4,68
M 4	25	500	4,16
M 4	30	500	4,95
M 4	35	500	5,48
M 4	40	500	7,92
M 5	6	500	7,65
M 5	8	500	4,91
M 5	10	500	4,16
M 5	12	500	3,80
M 5	14	500	3,78
M 5	16	500	3,36

d mm	l mm	Inhalt Stck	€ 100 Stck
M 5	18	500	3,74
M 5	20	500	3,36
M 5	22	500	4,55
M 5	25	500	4,04
M 5	30	500	4,48
M 5	35	200	5,04
M 5	40	200	5,24
M 5	45	200	7,11
M 5	50	200	8,64
M 5	55	200	10,71
M 5	60	200	10,89
M 6	8	500	8,69
M 6	10	500	5,56
M 6	12	500	5,20
M 6	14	500	5,20
M 6	16	500	3,88
M 6	18	500	3,92
M 6	20	500	3,92
M 6	22	500	4,86
M 6	25	500	4,32
M 6	30	500	4,56
M 6	35	200	5,68
M 6	40	200	6,20
M 6	45	200	6,84
M 6	50	200	7,56
M 6	55	200	10,35
M 6	60	200	12,60

## Zylinderschrauben mit Innensechskant 10.9

Hexagon socket head cap screws  
Vis à tête cylindrique à six pans creux 10.9



DIN 912 DIN-EN-ISO 4762


### WGR 0301 000

d mm	l mm	Inhalt Stck	€ 100 Stck
M 6	65	200	14,63
M 6	70	200	13,73
M 6	75	200	19,35
M 6	80	200	15,53
M 6	90	100	22,10
M 6	100	100	29,70
M 6	110	100	41,85
M 6	120	100	45,68
M 8	10	200	8,40
M 8	12	200	8,20
M 8	14	200	7,20
M 8	16	200	7,20
M 8	18	200	7,38
M 8	20	200	6,56
M 8	22	200	8,10
M 8	25	200	7,20
M 8	30	200	7,88
M 8	35	200	8,88
M 8	40	200	9,76
M 8	45	200	10,88
M 8	50	200	11,92
M 8	55	200	12,92
M 8	60	200	13,92
M 8	65	200	20,66
M 8	70	200	20,66
M 8	75	200	28,53
M 8	80	200	24,71
M 8	90	100	28,13
M 8	100	100	31,46
M 8	110	100	39,83
M 8	120	100	43,70
M 8	130	100	50,04
M 8	140	50	58,95
M 8	150	50	72,45
M 8	160	50	81,00

d mm	l mm	Inhalt Stck	€ 100 Stck
M 8	180	50	111,60
M 8	190	50	208,53
M 8	200	50	207,00
M 10	10	200	33,80
M 10	12	200	13,64
M 10	16	200	13,92
M 10	20	200	12,20
M 10	22	200	14,67
M 10	25	200	13,04
M 10	30	200	13,80
M 10	35	100	15,08
M 10	40	100	16,12
M 10	45	100	17,84
M 10	50	100	19,44
M 10	55	100	21,44
M 10	60	100	23,04
M 10	65	100	26,52
M 10	70	100	26,52
M 10	75	100	35,60
M 10	80	100	33,57
M 10	90	100	42,84
M 10	100	100	49,86
M 10	110	50	49,73
M 10	120	50	50,27
M 10	130	50	56,21
M 10	140	50	64,80
M 10	150	50	77,81
M 10	160	50	88,43
M 10	180	50	110,16
M 10	190	50	126,14
M 10	200	50	144,00
M 12	12	100	137,61
M 12	14	100	83,12
M 12	16	100	31,32
M 12	18	100	19,80

## Zylinderschrauben mit Innensechskant 10.9

Hexagon socket head cap screws  
Vis à tête cylindrique à six pans creux 10.9



DIN 912 DIN-EN-ISO 4762


### WGR 0301 000

d mm	l mm	Inhalt Stck	€ 100 Stck
M 12	20	100	17,60
M 12	25	100	18,00
M 12	30	100	19,28
M 12	35	100	20,96
M 12	40	100	22,72
M 12	45	100	24,84
M 12	50	100	26,92
M 12	55	100	29,72
M 12	60	100	31,96
M 12	65	50	36,28
M 12	70	50	36,28
M 12	75	50	40,84
M 12	80	50	43,20
M 12	90	50	52,56
M 12	100	50	61,25
M 12	110	50	66,20
M 12	120	50	66,65
M 12	130	50	68,67
M 12	140	50	84,83
M 12	150	50	90,00
M 12	160	25	108,18
M 12	180	25	133,11
M 12	190	25	146,93
M 12	200	25	162,81
M 14	20	100	138,60
M 14	25	100	32,49
M 14	30	100	35,91
M 14	35	100	39,29
M 14	40	100	42,66
M 14	45	50	46,04
M 14	50	50	49,46
M 14	55	50	52,83
M 14	60	50	56,88
M 14	65	50	59,04
M 14	70	50	65,03

d mm	l mm	Inhalt Stck	€ 100 Stck
M 14	75	50	66,96
M 14	80	50	73,13
M 14	90	50	81,27
M 14	100	50	87,39
M 14	110	50	98,91
M 14	120	50	107,19
M 14	130	50	115,43
M 14	140	50	123,66
M 14	150	50	135,27
M 14	160	50	189,00
M 14	180	25	243,00
M 14	190	25	270,00
M 14	200	25	592,74
M 16	20	100	75,60
M 16	25	50	74,80
M 16	30	50	40,84
M 16	35	50	41,64
M 16	40	50	43,96
M 16	45	50	47,20
M 16	50	50	51,20
M 16	55	50	55,08
M 16	60	50	60,16
M 16	65	25	68,04
M 16	70	25	68,04
M 16	75	25	77,60
M 16	80	25	75,96
M 16	90	25	85,56
M 16	100	25	93,60
M 16	110	25	103,76
M 16	120	25	117,48
M 16	130	25	137,70
M 16	140	25	149,85
M 16	150	25	163,35
M 16	160	25	181,22
M 16	180	25	209,25

**Zylinderschrauben mit Innensechskant  
10.9**

Hexagon socket head cap screws  
Vis à tête cylindrique à six pans creux 10.9



**DIN 912 DIN-EN-ISO 4762**

**WGR 0301 000**


d mm	l mm	Inhalt Stck	€ 100 Stck
M 16	200	25	267,30
M 18	30	50	91,17
M 18	35	50	87,57
M 18	40	50	76,37
M 18	45	50	81,09
M 18	50	50	84,02
M 18	55	25	102,00
M 18	60	25	104,00
M 18	65	25	105,44
M 18	70	25	120,00
M 18	75	25	123,30
M 18	80	25	139,00
M 18	90	25	142,00
M 18	100	25	144,99
M 18	110	50	160,56
M 18	120	25	190,71
M 18	130	25	202,82
M 18	140	25	216,23
M 18	150	25	235,31
M 18	160	25	250,47
M 18	180	25	278,06
M 18	200	25	305,64
M 20	30	25	91,17
M 20	35	25	87,57
M 20	40	25	88,60
M 20	45	25	72,08
M 20	50	25	74,68
M 20	55	25	79,48
M 20	60	25	92,00
M 20	65	25	93,72
M 20	70	25	93,72
M 20	75	25	134,80
M 20	80	25	146,00
M 20	90	25	137,88
M 20	100	25	138,00

d mm	l mm	Inhalt Stck	€ 100 Stck
M 20	110	25	142,72
M 20	120	25	226,00
M 20	130	25	234,90
M 20	140	25	255,20
M 20	150	25	301,50
M 20	160	10	350,64
M 20	180	10	363,42
M 20	200	10	457,92
M 22	40	25	189,32
M 22	45	25	184,01
M 22	50	25	175,50
M 22	55	25	184,73
M 22	60	25	187,83
M 22	65	25	204,80
M 22	70	25	204,80
M 22	75	25	212,04
M 22	80	25	223,07
M 22	90	25	236,48
M 22	100	10	256,10
M 22	110	10	283,32
M 22	120	10	305,19
M 22	130	10	325,31
M 22	140	10	345,38
M 22	150	10	376,70
M 22	160	10	397,40
M 22	180	10	438,80
M 22	200	10	480,20
M 24	40	25	189,32
M 24	45	25	184,01
M 24	50	25	156,00
M 24	55	25	164,20
M 24	60	25	166,96
M 24	65	25	182,04
M 24	70	25	182,04
M 24	75	25	233,64

## Zylinderschrauben mit Innensechskant 10.9

Hexagon socket head cap screws

Vis à tête cylindrique à six pans creux 10.9




DIN 912 DIN-EN-ISO 4762

### WGR 0301 000

d mm	l mm	Inhalt Stck	€ 100 Stck	d mm	l mm	Inhalt Stck	€ 100 Stck
M 24	80	25	198,28	M 27	200	10	1777,50
M 24	90	10	210,20	M 30	50	20	635,81
M 24	100	10	227,64	M 30	60	10	494,91
M 24	110	10	251,84	M 30	65	10	598,23
M 24	120	10	317,32	M 30	70	10	613,62
M 24	130	10	416,48	M 30	80	10	670,50
M 24	140	10	442,40	M 30	90	10	690,44
M 24	150	10	468,27	M 30	100	10	880,02
M 24	160	10	494,15	M 30	110	10	967,50
M 24	180	10	545,94	M 30	120	10	1057,50
M 24	200	10	675,00	M 30	130	10	1093,50
M 27	50	10	719,10	M 30	140	10	1164,60
M 27	60	10	729,90	M 30	150	10	1206,00
M 27	65	10	744,30	M 30	160	10	1296,00
M 27	70	10	774,00	M 30	180	10	1386,00
M 27	80	10	810,00	M 30	200	10	1537,65
M 27	90	10	868,50	M 36	100	10	1163,93
M 27	100	10	976,50	M 36	110	10	1516,50
M 27	110	10	1102,50	M 36	120	10	1606,50
M 27	120	10	1152,00	M 36	130	10	1695,69
M 27	130	10	1288,13	M 36	140	10	1771,61
M 27	140	10	1377,00	M 36	150	10	1880,46
M 27	150	10	1467,00	M 36	160	10	1984,50
M 27	160	10	1606,50	M 36	180	10	2079,00
M 27	180	10	1678,50	M 36	200	10	2200,50

## Zylinderschrauben mit Innensechskant 12.9

Hexagon socket head cap screws  
Vis à tête cylindrique à six pans creux 12.9



DIN 912 DIN-EN-ISO 4762

d	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 16	M 20	M 24	M 27	M 30
b	18	20	22	24	28	32	36	44	52	60	-	72
dk	5,5	7	8,5	10	13	16	18	24	30	36	-	45
ds	3	4	5	6	8	10	12	16	20	24	-	30
k	3	4	5	6	8	10	12	16	20	24	-	30
s	2,5	3	4	5	6	8	10	14	17	19	-	22


## WGR 0302 000

d	l	Inhalt	€
mm	mm	Stck	100 Stck
M 3	6	500	4,40
M 3	8	500	4,32
M 3	10	500	4,32
M 3	12	500	4,40
M 3	16	500	4,56
M 3	20	500	4,72
M 3	25	500	5,56
M 3	30	500	6,24
M 4	6	500	5,60
M 4	8	500	5,24
M 4	10	500	3,76
M 4	12	500	3,72
M 4	16	500	3,72
M 4	20	500	3,96
M 4	25	500	4,24
M 4	30	500	4,80
M 4	35	500	5,52
M 4	40	500	6,52
M 4	45	500	8,64
M 4	50	500	10,84
M 4	60	500	11,68
M 5	8	500	4,08
M 5	10	500	4,00
M 5	12	500	3,80
M 5	16	500	4,00
M 5	20	500	4,40
M 5	25	500	4,68
M 5	30	500	5,04

d	l	Inhalt	€
mm	mm	Stck	100 Stck
M 5	35	200	5,32
M 5	40	200	6,16
M 5	45	200	7,40
M 5	50	200	7,60
M 5	55	200	12,52
M 5	60	200	10,80
M 5	70	200	13,20
M 5	80	200	19,08
M 5	90	200	22,92
M 5	100	200	31,20
M 6	10	500	4,20
M 6	12	500	4,12
M 6	16	500	3,76
M 6	20	500	3,76
M 6	25	500	4,36
M 6	30	500	4,40
M 6	35	200	5,16
M 6	40	200	6,40
M 6	45	200	7,44
M 6	50	200	8,40
M 6	55	200	9,60
M 6	60	200	10,40
M 6	65	200	12,40
M 6	70	200	10,72
M 6	75	200	15,08
M 6	80	200	17,88
M 6	90	100	23,84
M 6	100	100	25,76

## Zylinderschrauben mit Innensechskant 12.9

Hexagon socket head cap screws  
Vis à tête cylindrique à six pans creux 12.9



DIN 912 DIN-EN-ISO 4762


### WGR 0302 000

d mm	l mm	Inhalt Stck	€ 100 Stck	d mm	l mm	Inhalt Stck	€ 100 Stck
M 6	110	100	34,96	M 10	50	100	19,76
M 6	120	100	37,60	M 10	55	100	21,40
M 8	10	200	9,56	M 10	60	100	23,36
M 8	12	200	9,00	M 10	65	100	24,68
M 8	16	200	6,56	M 10	70	100	25,80
M 8	20	200	6,48	M 10	75	100	31,60
M 8	25	200	7,40	M 10	80	100	28,72
M 8	30	200	7,88	M 10	90	100	32,32
M 8	35	200	9,32	M 10	100	100	38,44
M 8	40	200	9,60	M 10	110	50	40,96
M 8	45	200	11,56	M 10	120	50	44,32
M 8	50	200	12,24	M 10	130	50	68,72
M 8	55	200	14,24	M 10	140	50	70,32
M 8	60	200	13,28	M 10	150	50	85,20
M 8	65	200	21,24	M 10	160	50	100,80
M 8	70	200	18,16	M 10	180	50	120,00
M 8	75	200	26,72	M 10	200	50	144,40
M 8	80	200	20,12	M 12	16	100	22,92
M 8	90	100	20,40	M 12	20	100	19,28
M 8	100	100	25,08	M 12	25	100	19,84
M 8	110	100	38,08	M 12	30	100	21,20
M 8	120	100	40,80	M 12	35	100	23,20
M 8	130	100	58,40	M 12	40	100	25,00
M 8	140	50	74,00	M 12	45	100	27,24
M 8	150	50	75,60	M 12	50	100	29,60
M 8	160	50	134,40	M 12	55	100	32,60
M 8	180	50	156,00	M 12	60	100	35,16
M 8	200	50	188,00	M 12	65	50	39,96
M 10	16	200	13,32	M 12	70	50	39,96
M 10	20	200	11,48	M 12	75	50	44,96
M 10	25	200	12,76	M 12	80	50	44,96
M 10	30	200	13,68	M 12	90	50	51,52
M 10	35	100	15,60	M 12	100	50	59,92
M 10	40	100	15,96	M 12	110	50	66,64
M 10	45	100	17,36	M 12	120	50	75,44



**Zylinderschrauben mit Innensechskant  
12.9**

Hexagon socket head cap screws  
Vis à tête cylindrique à six pans creux 12.9



**DIN 912 DIN-EN-ISO 4762**


**WGR 0302 000**

d mm	l mm	Inhalt Stck	€ 100 Stck
M 12	130	50	79,76
M 12	140	25	84,60
M 12	150	50	104,76
M 12	160	25	105,60
M 12	180	25	140,96
M 12	200	25	161,64
M 16	30	50	38,36
M 16	35	50	42,04
M 16	40	50	45,32
M 16	45	50	47,60
M 16	50	50	50,52
M 16	55	50	53,08
M 16	60	50	59,92
M 16	65	25	66,00
M 16	70	25	67,52
M 16	75	25	84,00
M 16	80	25	74,64
M 16	90	25	84,00
M 16	100	25	89,24
M 16	110	25	101,36
M 16	120	25	114,92
M 16	130	25	118,12
M 16	140	25	126,08
M 16	150	25	157,12
M 16	160	25	165,80
M 16	170	25	172,36
M 16	180	25	203,00
M 16	200	25	247,24
M 20	40	25	92,40
M 20	45	25	79,52
M 20	50	25	84,80
M 20	55	25	99,32
M 20	60	25	101,00
M 20	65	25	117,20
M 20	70	25	117,20

d mm	l mm	Inhalt Stck	€ 100 Stck
M 20	75	25	130,76
M 20	80	25	130,76
M 20	90	25	147,32
M 20	100	25	161,08
M 20	110	25	176,00
M 20	120	25	186,76
M 20	130	25	220,40
M 20	140	25	260,00
M 20	150	25	270,48
M 20	160	10	306,36
M 20	180	10	365,20
M 20	200	10	421,32
M 24	40	25	204,44
M 24	45	25	204,44
M 24	50	25	188,04
M 24	55	25	205,28
M 24	60	25	218,64
M 24	65	25	227,48
M 24	70	25	230,16
M 24	75	25	247,84
M 24	80	25	247,84
M 24	90	10	262,80
M 24	100	10	285,28
M 24	110	10	317,80
M 24	120	10	337,28
M 24	130	10	361,60
M 24	140	10	412,52
M 24	150	10	520,00
M 24	160	10	533,08
M 24	180	10	625,92
M 24	200	10	766,52
M 27	80	10	900,00
M 27	90	10	1029,60
M 27	100	10	1029,60
M 27	110	10	1062,60

**Zylinderschrauben mit Innensechskant  
12.9**

Hexagon socket head cap screws  
Vis à tête cylindrique à six pans creux 12.9



**DIN 912 DIN-EN-ISO 4762**

**WGR 0302 000**

d mm	l mm	Inhalt Stck	€ 100 Stck
M 27	120	10	1100,00
M 27	130	10	1180,00
M 27	140	10	1315,68
M 27	150	10	1345,32
M 27	160	10	1380,00
M 27	180	10	1424,00
M 27	200	10	1640,00
M 30	80	10	715,80
M 30	90	10	972,40

d mm	l mm	Inhalt Stck	€ 100 Stck
M 30	100	10	1020,00
M 30	110	10	1100,00
M 30	120	10	1180,00
M 30	130	10	1220,00
M 30	140	10	1328,00
M 30	150	10	1460,00
M 30	160	10	1520,00
M 30	180	10	1644,00
M 30	200	10	2104,00