


Sechskantmuttern Kl. 5-2

Hexagon nuts
Ecrous à six pans cl.5-2



DIN 934 DIN-EN-ISO 4032

d	M 6	M 8	M 10	M 12	M 16	M 20	M 24	M 27	M 30	M 33	M 36
m	5	6,5	8	10	13	16	19	22	24	26	29
e	11,05	14,38	18,90	21,10	26,75	32,95	39,55	45,20	50,85	55,37	60,79
s	10	13	17	19	24	30	36	41	46	50	55


WGR 0621 000

d	Inhalt	€
mm	Stck	100 Stck
M 6	1000	0,87
M 8	1000	1,44
M 10	500	6,99
M 12	200	8,50
M 16	200	10,54
M 20	100	18,47

d	Inhalt	€
mm	Stck	100 Stck
M 24	50	40,76
M 27	25	72,87
M 30	25	136,72
M 33	25	154,51
M 36	25	173,85

Sechskantmuttern Feingewinde Kl. 10

Hexagon nuts, fine pitch thread
Ecrous à six pans cl. 10 pas de vis fin



DIN 934 DIN-EN-ISO 8673

d	M 8x1	M 10x1	M 12x1,5	M 14x1,5	M 16x1,5	M 18x1,5	M 20x1,5	M 22x1,5	M 24x1,5	M 30x1,5
m	6,5	8	10	11	13	15	16	18	19	24
e	14,38	18,9	21,1	24,49	26,75	29,56	32,95	35,03	39,55	50,85
s	13	17	19	22	24	27	30	32	36	46

WGR 0641 000

d	st	Inhalt	€
mm	mm	Stck	100 Stck
M 8	1,00	1000	3,02
M 10	1,00	500	5,29
M 12	1,50	500	15,11
M 14	1,50	200	72,99
M 16	1,50	200	16,24

d	st	Inhalt	€
mm	mm	Stck	100 Stck
M 18	1,50	100	26,86
M 20	1,50	100	27,20
M 22	1,50	50	41,56
M 24	1,50	50	54,78
M 30	1,50	25	188,89


WWW.TORX.DK
Kongerslev-Fasteners Aps

Tlf: +45 75154999

Sechskantmuttern ISO 4032 Kl. 8

Hexagon nuts, style 1

Ecrous à six pans ISO 4032 cl. 8



DIN-ISO 4032

d	M 3	M 4	M 5	M 6	M 8	M 10	M 12	M 14	M 16	M 18	M 20	M 22	M 24	M 27	M 30	M 33	M 36
m	2,4	3,2	4,7	5,2	6,8	8,4	10,8	12,8	14,8	15,8	18	19,4	21,5	23,8	25,6	28,7	31
e	6,01	7,66	8,79	11,05	14,38	17,17	20,03	23,36	26,75	29,56	32,95	37,29	39,55	45,2	50,85	55,37	60,79
s	5,5	7	8	10	13	16	18	21	24	27	30	34	36	41	46	50	55

WGR 0622 000

d	Inhalt	VE	€
M	Stück		100 Stück
M 5	1000	01	0,86
M 6	1000	01	0,90
M 8	1000	01	2,04
M 10	500	01	4,09
M 12	200	01	5,46
M 14	250	01	8,74
M 16	200	01	14,68
M 18	100	01	19,00

d	Inhalt	VE	€
M	Stück		100 Stück
M 20	100	01	19,67
M 22	50	01	37,76
M 24	50	01	47,50
M 27	25	01	108,11
M 30	25	01	118,75
M 33	25	01	166,25
M 36	25	01	204,25

WGR 0622

001 galv. verzinkt • zinc plated • galvanisé


d	Inhalt	VE	€
M	Stück		100 Stück
M 3	1000	01	0,29
M 4	1000	01	9,74
M 5	1000	01	0,67
M 5	20000	10	0,52
M 6	1000	01	1,19
M 8	1000	01	2,85
M 10	500	01	4,04
M 12	500	01	7,22
M 14	250	01	9,83

d	Inhalt	VE	€
M	Stück		100 Stück
M 16	200	01	14,25
M 18	100	01	14,87
M 20	100	01	28,50
M 22	50	01	45,41
M 24	50	01	71,25
M 27	25	01	107,45
M 30	25	01	152,00
M 33	25	01	185,25
M 36	20	01	261,25

Sechskantmuttern ISO 4032 Kl. 10

Hexagon nuts, style 1

Ecrous à six pans ISO 4032 cl. 10



DIN-ISO 4032

WGR 0646

182 Zinklamellenüberzug fl zn L - 480 h • zinc flake coating fl zn L - 480 h • revêtement de lamelles de zinc

d mm	Inhalt Stück	€ 100 Stück	d mm	Inhalt Stück	€ 100 Stück
M 6	1000	3,80	M 14	200	38,20
M 8	1000	4,37	M 16	200	36,29
M 10	500	8,03	M 20	100	61,66
M 12	200	13,59	M 24	50	111,58