


## Splinte

Split pins  
Goupilles avec fentes



**DIN 94** DIN-EN-ISO 1234

Nennmaß	1	1,2	1,6	2	2,5	3,2	4	5	6,3	8	10	13
d	0,9	1,0	1,4	1,8	2,3	2,9	3,7	4,6	5,9	7,5	9,5	12,4
a	1,6	2,5	2,5	2,5	2,5	3,2	4	4	4	4	6,3	6,3
b	3	3	3,2	4	5	6,4	8	10	12,6	16	20	26
c	1,8	2,0	2,8	3,6	4,6	5,8	7,4	9,2	11,8	15	19	24,8

## WGR 1507

**001** galv. verzinkt • zinc plated • galvanisé


d	l	Inhalt	€	d	l	Inhalt	€
mm	mm	Stck	100 Stck	mm	mm	Stck	100 Stck
1,0	8	1000	0,60	2,0	32	1000	1,00
1,0	10	1000	0,60	2,0	36	1000	1,03
1,0	12	1000	0,60	2,0	40	1000	1,10
1,0	16	1000	0,68	2,5	12	1000	0,82
1,0	20	1000	0,78	2,5	16	1000	0,85
1,2	10	1000	0,64	2,5	18	1000	0,89
1,2	12	1000	0,64	2,5	20	1000	0,92
1,2	16	1000	0,71	2,5	22	1000	1,00
1,2	20	1000	0,82	2,5	25	1000	1,03
1,6	8	1000	0,71	2,5	28	1000	1,10
1,6	10	1000	0,71	2,5	32	1000	1,17
1,6	12	1000	0,75	2,5	36	1000	1,35
1,6	16	1000	0,75	2,5	40	1000	1,53
1,6	20	1000	0,85	2,5	45	1000	1,88
1,6	22	1000	0,89	2,5	50	1000	1,96
1,6	25	1000	0,92	3,2	16	500	0,92
1,6	28	1000	0,96	3,2	18	500	0,96
1,6	32	1000	1,03	3,2	20	500	1,10
2,0	10	1000	0,75	3,2	22	500	1,17
2,0	12	1000	0,78	3,2	25	500	1,24
2,0	14	1000	0,78	3,2	28	500	1,39
2,0	16	1000	0,78	3,2	32	500	1,42
2,0	18	1000	0,85	3,2	36	500	1,49
2,0	20	1000	0,85	3,2	40	500	1,60
2,0	22	1000	0,89	3,2	45	500	1,81
2,0	25	1000	0,92	3,2	50	500	1,92
2,0	28	1000	0,96	3,2	56	500	2,38

**Kongerslev-Fasteners Aps**

**Tlf: +45 75154999**

## Splinte

Split pins  
Goupilles avec fentes



**DIN 94** DIN-EN-ISO 1234

## WGR 1507

**001** galv. verzinkt • zinc plated • galvanisé

d mm	l mm	Inhalt Stck	€ 100 Stck
3,2	63	500	2,49
4,0	16	500	1,49
4,0	18	500	1,60
4,0	20	500	1,67
4,0	22	500	1,74
4,0	25	500	1,85
4,0	28	500	1,99
4,0	32	500	2,28
4,0	36	500	2,49
4,0	40	500	2,60
4,0	45	500	2,63
4,0	50	500	3,48
4,0	56	500	3,73
4,0	63	500	3,91
4,0	71	500	4,27
4,0	80	500	4,59
5,0	16	250	2,67
5,0	20	250	2,81
5,0	22	250	2,95
5,0	25	250	3,06
5,0	28	250	3,27
5,0	32	250	3,48
5,0	35	250	3,95
5,0	36	250	3,95
5,0	40	250	4,34
5,0	45	250	4,55
5,0	50	250	5,16
5,0	56	250	5,51
5,0	63	250	6,08
5,0	71	250	7,15
5,0	80	250	7,68
5,0	90	250	7,86
5,0	100	250	8,21
6,3	20	250	5,10

d mm	l mm	Inhalt Stck	€ 100 Stck
6,3	25	250	5,32
6,3	32	250	5,48
6,3	36	250	5,69
6,3	40	250	6,08
6,3	45	250	6,97
6,3	50	250	7,57
6,3	56	250	8,25
6,3	63	250	8,71
6,3	71	250	9,28
6,3	80	250	10,45
6,3	90	250	12,41
6,3	100	250	13,80
6,3	112	250	14,19
6,3	125	250	14,72
8,0	25	100	11,34
8,0	32	100	12,05
8,0	36	100	12,76
8,0	40	100	13,16
8,0	45	100	13,51
8,0	50	100	14,40
8,0	56	100	15,22
8,0	63	100	16,11
8,0	71	100	16,96
8,0	80	100	18,84
8,0	90	100	20,94
8,0	100	100	22,93
8,0	112	100	24,53
8,0	125	100	27,38
8,0	140	100	35,98
10,0	40	100	22,79
10,0	50	100	23,64
10,0	56	100	24,53
10,0	63	100	25,46
10,0	71	100	26,70


**Kongerslev-Fasteners Aps**

Tlf: [+45 75154999](tel:+4575154999)

## Splinte

Split pins

Goupilles avec fentes



**DIN 94** DIN-EN-ISO 1234

## WGR 1507

**001** galv. verzinkt • zinc plated • galvanisé

d mm	l mm	Inhalt Stck	€ 100 Stck
10,0	80	100	27,95
10,0	90	100	30,54
10,0	100	100	33,78
10,0	112	100	35,27
10,0	125	100	40,85
10,0	140	100	48,92

d mm	l mm	Inhalt Stck	€ 100 Stck
13,0	90	50	58,10
13,0	100	50	70,51
13,0	112	50	77,30
13,0	125	50	97,92
13,0	140	50	115,48