


Linsensenk-Holzschrauben mit Schlitz, Stahl

Slotted raised countersunk (oval) head wood screws
Vis à bois à tête fraisée bombée avec fente



DIN 95

ds	1,6	2,0	2,5	3,0	3,5	4,0	4,5	5,0	6,0
dk	3	3,8	4,7	5,6	6,5	7,5	8,3	9,2	11
f	0,4	0,5	0,6	0,75	0,9	1	1,1	1,25	1,5
k	0,96	1,2	1,5	1,65	1,93	2,2	2,35	2,5	3
n	0,4	0,5	0,6	0,8	0,8	1	1	1,2	1,6
t	0,8	1	1,2	1,45	1,7	1,9	2,1	2,3	2,8


WGR 0500

001 galv. verzinkt • zinc plated • galvanisé

d	l	Inhalt	€	d	l	Inhalt	€
mm	mm	Stck	100 Stck	mm	mm	Stck	100 Stck
1,6	16	500	3,46	2,5	20	500	1,65
2,0	12	500	1,69	2,5	25	500	1,69
2,5	12	500	1,60	3,0	12	200	1,77
2,5	16	500	1,60	3,0	16	200	1,77

**Linsensenk-Holzschrauben mit Schlitz,
Stahl**

Slotted raised countersunk (oval) head wood screws
Vis à bois à tête fraisée bombée avec fente



DIN 95

WGR 0500

001 galv. verzinkt • zinc plated • galvanisé

d mm	l mm	Inhalt Stck	€ 100 Stck
3,0	20	200	1,82
3,0	25	200	1,94
3,0	30	200	2,28
3,0	35	200	2,41
3,0	40	200	3,21
3,5	12	200	1,77
3,5	16	200	1,77
3,5	20	200	1,98
3,5	25	200	2,11
3,5	30	200	2,36
3,5	35	200	2,62
3,5	40	200	3,17
4,0	12	200	2,30
4,0	16	200	2,11
4,0	20	200	2,28
4,0	25	200	2,36
4,0	30	200	2,53
4,0	35	200	2,70
4,0	40	200	3,34
4,0	45	200	4,26
4,0	50	200	5,28
4,0	60	200	6,29
4,5	20	200	2,74
4,5	25	200	2,74

d mm	l mm	Inhalt Stck	€ 100 Stck
4,5	30	200	2,87
4,5	35	200	3,17
4,5	40	200	3,67
4,5	45	200	4,39
4,5	50	200	5,28
4,5	60	200	7,09
5,0	20	200	3,21
5,0	25	200	3,55
5,0	30	200	3,63
5,0	35	200	3,88
5,0	40	200	4,18
5,0	45	200	4,81
5,0	50	200	5,62
5,0	60	200	7,35
5,0	70	200	8,02
5,0	80	200	8,57
6,0	40	200	7,43
6,0	50	200	7,64
6,0	60	100	8,19
6,0	70	100	10,85
6,0	80	100	11,32
6,0	90	100	13,72
6,0	100	100	16,47

WGR 0500


071 vermessingt • brass coated • laitonné

d mm	l mm	Inhalt Stck	€ 100 Stck
1,6	10	500	5,83
2,0	10	500	1,98

d mm	l mm	Inhalt Stck	€ 100 Stck
2,0	16	500	2,15
3,0	12	200	2,07

**Linsensenk-Holzschrauben mit Schlitz,
Stahl**

Slotted raised countersunk (oval) head wood screws
Vis à bois à tête fraisée bombée avec fente



$b \geq 0,6l$

DIN 95

WGR 0500

071 vermessingt • brass coated • laitonné

d mm	l mm	Inhalt Stck	€ 100 Stck
3,0	16	200	2,07
3,0	20	200	2,20
3,0	25	200	2,28
3,0	30	200	2,74
3,0	35	200	2,83
3,5	16	200	2,11
3,5	20	200	2,36
3,5	30	200	2,83
3,5	35	200	3,12
3,5	40	200	3,88

d mm	l mm	Inhalt Stck	€ 100 Stck
4,0	25	200	3,63
4,0	30	200	3,08
4,0	35	200	3,29
4,0	40	200	4,05
4,0	45	200	5,24
4,0	50	200	6,46
4,5	40	200	4,35
4,5	45	200	5,36
4,5	50	200	6,46
5,0	50	200	6,88

WGR 0500


074 vernickelt • nickel-plated • nickelé

d mm	l mm	Inhalt Stck	€ 100 Stck
2,0	10	500	1,98
2,0	12	500	1,98
3,0	16	200	2,07
3,0	20	200	2,20
3,0	25	200	2,28
3,0	30	200	2,74
3,0	35	200	2,83
3,5	16	200	2,11
3,5	20	200	2,36
3,5	25	200	2,53
3,5	30	200	2,83
3,5	35	200	3,12
3,5	40	200	3,88
4,0	20	200	2,70
4,0	25	200	2,74
4,0	30	200	3,08

d mm	l mm	Inhalt Stck	€ 100 Stck
4,0	35	200	3,29
4,0	40	200	4,05
4,0	45	200	5,24
4,0	50	200	6,46
4,0	60	200	7,68
4,5	30	200	3,50
4,5	35	200	3,84
4,5	40	200	4,35
4,5	45	200	5,36
4,5	50	200	6,46
4,5	60	200	8,61
5,0	40	200	5,11
5,0	50	200	6,88
5,0	60	200	9,04
5,0	70	200	9,92
6,0	50	200	9,42

**Linsensenk-Holzschrauben mit Schlitz,
Stahl**

Slotted raised countersunk (oval) head wood screws
Vis à bois à tête fraisée bombée avec fente



DIN 95

WGR 0500

074 vernickelt • nickel-plated • nickelé

d mm	l mm	Inhalt Stck	€ 100 Stck
6,0	60	100	10,01

d mm	l mm	Inhalt Stck	€ 100 Stck
6,0	70	100	13,34

WGR 0500

083 brüniert • burnished • brunie

d mm	l mm	Inhalt Stck	€ 100 Stck
3,0	20	200	2,20
3,0	25	200	2,28
3,0	30	200	2,74
3,5	16	200	2,11
3,5	20	200	2,36

d mm	l mm	Inhalt Stck	€ 100 Stck
3,5	30	200	2,83
3,5	35	200	3,12
3,5	40	200	3,88
4,0	30	200	3,08
4,0	35	200	3,29